



# PRODUCT GUIDE EDITION 9



**BUILD**

**SATISFACTION  
GUARANTEE**

On ordered products assembled  
by Golf Imports



**EXPRESS SHIPPING >>>>> OVERNIGHT DELIVERY TO MOST OF AUSTRALIA**



# CONTACTS

---



**JARED  
TOYNE**

**General Manager**

Phone: 03 5277 3977

Email: [jared@golfimports.com.au](mailto:jared@golfimports.com.au)



**SYMONE  
GROOM**

**Administration**

Phone: 03 5277 3977

Email: [admin@golfimports.com.au](mailto:admin@golfimports.com.au)



**MANUEL  
FAGALIMA**

**Warehouse & Logistics**

Phone: 03 5277 3977

Email: [warehouse@golfimports.com.au](mailto:warehouse@golfimports.com.au)



**MADELEINE  
O'CONNOR**

**Customer Service**

Phone: 03 5277 3977

Email: [sales@golfimports.com.au](mailto:sales@golfimports.com.au)



**ANDREW  
HERWYNEN**

**Technical Service**

Phone: 03 5277 3977

Email: [tech@golfimports.com.au](mailto:tech@golfimports.com.au)



**GRAEME FAY**

**NSW Sales Agent**

Phone: 0410 693 335

Email: [graeme@graemefaygolf.com.au](mailto:graeme@graemefaygolf.com.au)



**DES PATCH**

**NSW Sales Agent**

Phone: 0417 695 222

Email: [dezzie22@bigpond.net.au](mailto:dezzie22@bigpond.net.au)



**NIK PATCH**

**NSW Sales Agent**

Phone: 0424 395 382

Email: [nik.golfimports@gmail.com](mailto:nik.golfimports@gmail.com)



**GRAEME KENWAY**

**Victoria Sales Agent**

Phone: 0412 307 862

Email: [gkenwaygolf@bigpond.com](mailto:gkenwaygolf@bigpond.com)



**NOEL DELVES**

**Victoria Sales Agent**

Phone: 0452 442 976

Email: [noeldelves@outlook.com.au](mailto:noeldelves@outlook.com.au)



**NICK KYRAS**

**Western Australia Sales Agent**

Phone: 0419 837 513

Email: [kyras@aivj.com.au](mailto:kyras@aivj.com.au)



**ADRIAN PERCEY**

**NT / SA / Tasmania Sales Agent**

Phone: 0417 884 186

Email: [adrian.percey@adam.com.au](mailto:adrian.percey@adam.com.au)



**STEVE SMITH**

**Queensland Sales Agent**

Phone: 0412 639 486

Email: [sjsdist@bigpond.com](mailto:sjsdist@bigpond.com)



# CONTENTS

## GRIPS

Golf Pride.....	3
Winn.....	10
Professional.....	13
Golf Pride Putters.....	15
Winn Putters.....	16
Fat Cat Putters.....	20
P2 Putters.....	21
Specialty Grips.....	22

## GRAPHITE SHAFTS

Aldila.....	25
Grafalloy.....	33
Mitsubishi Rayon.....	34
Aerotech.....	39
UST.....	43
Graphite Design.....	48
Accra.....	50

## STEEL SHAFTS

Project X.....	51
True Temper.....	56
True Temper Putters.....	60
Shaft Trimming Instructions.....	63

## CLUBS

Infiniti Chippers, Wedges + Putters.....	64
Infiniti Hire Range.....	65

## TOOLS

Grip Removers + Gripping.....	66
Epoxy + Extensions.....	69
Ferrules.....	70
Adaptors + Sleeves.....	71
Shaft Prepping + Grinding.....	74
Buffing + Safety.....	75
Shaft Removal.....	76
Shafting + Shop Supplies.....	77
Swingweighting.....	79
Fitting, Measuring + Bending.....	81

## GPS, DMD'S + WATCHES

Callaway.....	86
Izzo.....	88

## TRAINING + ACCESSORIES

Callaway.....	89
Izzo.....	94

## SPIKES + TEES

Champ.....	96
Infintee.....	100



Phone: 03 5277 3977  
 Post: PO Box 46  
 North Geelong, VIC 3215  
 Email: sales@golfimports.com.au  
 Web: www.golfimports.com.au

## FEATURED BRANDS



Disclaimer:  
 Items can be discontinued without notice.  
 Images for illustrative purposes only.

Published by Golf Imports, 2020.  
 Designed by Nick Humphries.

Callaway, Callaway Golf, Chevron device, are trademarks and/or registered trademarks of Callaway Golf Company.  
 Izzo Golf is an official licensee of Callaway Golf Company.



# PROMOTE YOUR BUSINESS ON THE FAIRWAY

## NOW AVAILABLE

Add your logo to a range of custom golf accessories. From bag tags to markers, pencils to brushes, we have the products that need your branding. And with low minimums and quick lead times it couldn't be easier.

TO FIND OUT MORE OR  
PLACE AN ORDER CALL

**03 5277 3977**








REAR VIEW

## Golf Pride

### MULTICOMPOUND +4 ALIGN

- Tour-inspired larger lower hand design simulates the feel of 4 extra layers of tape for lighter grip pressure and more power
- ALIGN Technology now available in this hybrid grip combines all-weather performance with consistent hand placement

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPM4XS-60X-M0T-XA	Grey	.600 (Rib)	53gm	Standard	150
2GPM4XM-60X-M0T-XA	Grey	.600 (Rib)	67gm	Midsize	100



REAR VIEW

## Golf Pride

### MULTICOMPOUND ALIGN

- When installed on a shaft, the red ridge rises and extends down the back of the grip to aid better hand alignment and more consistency, locking the hands in place every time

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPMCXS-60X-M16-XA	White	.600 (Rib)	51gm	Standard	150
2GPMCXM-60X-M16-XA	White	.600 (Rib)	62gm	Midsize	100



REAR VIEW

## Golf Pride

### TOUR VELVET ALIGN

- State-of-the-art rubber blend for maximum playability, and a scientifically designed non-slip surface pattern with plus sign texture that pulls moisture away from the surface to allow for consistent traction in all conditions

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPVTS-60X-N4M-XA	Black	.600" (Rib)	51gm	Standard	150
2GPVTXM-60X-N4M-XA	Black	.600" (Rib)	62gm	Midsize	100



**Golf Pride®****Z GRIP ALIGN**

- The ZGRIP ALIGN is the firmest grip model in our ALIGN® Technology family, combining a heavy cord texture throughout for moisture management with the revolutionary ALIGN Technology for consistent hand placement

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPGRXS-60X-C49-XA	Black/White	.600 (Rib)	50.5gm	Standard	150
2GPGRXM-60X-C48-XA	Black/White	.600 (Rib)	59gm	Midsize	100

**Golf Pride®****Z GRIP CORD**

- Features a deep "Z" shaped texture pattern that winds vertically around the grip for control, while a heavy cord texture throughout provides moisture management

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPGRSC-60R-C10-XA	Black/White	.600" (Rnd)	50.5gm	Standard	150
2GPGRMC-60R-C11-0	Black/White	.600" (Rnd)	57.5gm	Midsize	100

**Golf Pride®****MULTICOMPOUND**

- Exclusive black velvet cord provides firm, all-weather control for top hand
- Soft, coloured rubber delivers enhanced feel and response in lower hand
- #1 Hybrid Grip on Tour

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPMCC-60R-M10-XA	Black	.600" (Rnd)	46.5gm	Standard	150
2GPMCC-60X-M10-XA	Black	.600" (Rib)	46.5gm	Standard	150
2GPMCC-60R-12-X4	Red	.600" (Rnd)	46.5gm	Standard	150
2GPMCC-60X-12-X4	Red	.600" (Rib)	46.5gm	Standard	150
2GPMCC-60R-M71-X9	Yellow	.600" (Rnd)	46.5gm	Standard	150
2GPMCC-60R-M22-10	Blue	.600" (Rnd)	46.5gm	Standard	150
2GPMCC-60R-M07-X9	White	.600" (Rnd)	46.5gm	Standard	150
2GPMSC-60R-M10-XA	Black	.600" (Rnd)	59gm	Midsize	100
2GPMSC-60R-12-X4	Red	.600" (Rnd)	59gm	Midsize	100
2GPMSC-60R-M22-10	Blue	.600" (Rnd)	59gm	Midsize	100
2GPMSC-60R-M07-X9	White	.600" (Rnd)	59gm	Midsize	100





## Golf Pride

### TOUR VELVET +4

- With a larger lower hand for more power and the moderate surface texture and all-weather performance of Tour Velvet, the Tour Velvet Plus4 is the new standard in grip feel and performance

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPVT4S-60R-FU4-XA	Black	.600 (Rnd)	52gm	Standard	150
2GPVT4M-60R-FU4-XA	Black	.600 (Rnd)	65.5gm	Midsize	100



## Golf Pride

### MULTICOMPOUND +4

- The New Decade® MultiCompound MCC Plus4™ is a tour-proven, hybrid grip that features a larger lower hand and new softer rubber material
- With a 4.6% larger lower hand diameter than the Original MCC, the Plus4 encourages lighter grip pressure, reduced tension, and increased power

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPMCCU-58R-M0N-X10	Grey	.580" (Rnd)	47gm	Undersize	150
2GPMCCS-60R-M0N-X10	Grey	.600" (Rnd)	52gm	Standard	150
2GPMCCS-60R-M2E-X10	Blue	.600" (Rnd)	52gm	Standard	150
2GPMCCS-60R-M4H-X10	Red	.600" (Rnd)	52gm	Standard	150
2GPMCCS-60R-M39-X10	Green	.600" (Rnd)	52gm	Standard	150
2GPMCCS-60R-M77-X10	Orange	.600" (Rnd)	52gm	Standard	150
2GPMCCM-60R-M0N-X10	Grey	.600" (Rnd)	66gm	Midsize	100
2GPMCCM-60R-M2E-X10	Blue	.600" (Rnd)	66gm	Midsize	100
2GPMCCJ-60R-M0N-X10	Grey	.600" (Rnd)	82gm	Jumbo	100





## Golf Pride

### MULTICOMPOUND WHITEOUT

- Black BCT® cord for all-weather control

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPWMCS-60R-MW4-00	White/Red	.600" (Rnd)	46.5gm	Standard	150
2GPWMCS-60R-MW1-00	White/Black	.600" (Rnd)	46.5gm	Standard	150
2GPWMCS-60R-MW2-00	White/Blue	.600" (Rnd)	46.5gm	Standard	150



## Golf Pride

### CP2 PRO

- Comfort and control for superior feel
- A 2.5" inner core stabilizer is specifically engineered to reduce torque
- A reduced taper design allows for even grip pressure in each hand

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPCCPU-58R-H19-X04	Pro	.580" (Rnd)	45gm	Undersize	150
2GPCCPS-60R-H19-X04	Pro	.600" (Rnd)	50gm	Standard	150
2GPCCPM-60R-H19-X04	Pro	.600" (Rnd)	64gm	Midsized	100
2GPCCPJ-60R-H19-X04	Pro	.600" (Rnd)	80gm	Jumbo	100



## Golf Pride

### CP2 WRAP

- Comfort and control for superior feel
- A 2.5" inner core stabilizer is specifically engineered to reduce torque
- A reduced taper design allows for even grip pressure in each hand

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPCCWU-58R-H2L-X02	Wrap	.580" (Rnd)	45gm	Undersize	150
2GPCCWS-60R-H2L-X02	Wrap	.600" (Rnd)	50gm	Standard	150
2GPCCWM-60R-H2L-X02	Wrap	.600" (Rnd)	64gm	Midsized	100
2GPCCWJ-60R-H2L-X02	Wrap	.600" (Rnd)	80gm	Jumbo	100





## Golf Pride

### TOUR VELVET

- The No.1 choice of Tour players
- Computer-designed, non-slip surface pattern for a soft, non-abrasive feel
- Provides enhanced comfort and ideal for all gripping conditions

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPVTL-58X-11-X00	Black/White	.580" (Rib)	47.5gm	Lady	150
2GPVTL-58X-11-XAA	Black/Pink	.580" (Rib)	47.5gm	Lady	150
2GPVTL-56X-11-X00	Black/White	.560" (Rib)	50gm	Undersize	150
2GPVTM-58R-11-X00	Black/White	.580" (Rnd)	51.5gm	Standard	150
2GPVTM-60R-11-X00	Black/White	.600" (Rnd)	49.5gm	Standard	150
2GPVTM-58X-11-X00	Black/White	.580" (Rib)	51.5gm	Standard	150
2GPVTM-60X-11-X00	Black/White	.600" (Rib)	49.5gm	Standard	150
2GPVMM-60R-16-X00	Black/White	.600" (Rnd)	53.5gm	Midsized	100
2GPJTV-60R-16-X00	Black/White	.600" (Rnd)	61gm	Jumbo	100




## Golf Pride

### TOUR VELVET CORD

- All the playability of Tour Velvet, plus embedded soft cords for added traction

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPVTC-58X-12-X00	Black/White	.580" (Rib)	52.5gm	Standard	150
2GPVTC-60X-12-X00	Black/White	.600" (Rib)	50.5gm	Standard	150
2GPVTC-58R-12-X00	Black/White	.580" (Rnd)	52.5gm	Standard	150
2GPVTC-60R-12-X00	Black/White	.600" (Rnd)	50.5gm	Standard	150



## Golf Pride

### TOUR VELVET 360

- Tour Velvet 360 is designed for adjustable drivers, fairway woods, and hybrid clubs

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GTSS-60R-07-XX0	Black	.600" (Rnd)	50gm	Standard	150
2GTSI-60R-07-XB	Black/White	.600" (Rnd)	50gm	Standard	150
2GTMM-60R-16A-XB	Black/White	.600" (Rnd)	57.5gm	Midsized	100





## Golf Pride

### TOUR 25

- At only 25 grams, this lightweight model is the perfect replacement grip for drivers and fairway woods that use a light grip as a component

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPLTTS-60R-A08-X00	Black	.600" (Rnd)	25gm	Standard	150



## Golf Pride

### TOUR WRAP 2G

- Modernised look
- The ultimate in tackiness and feel
- New jumbo with straight taper

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPTWPU-58R-120-X00	Black	.580" (Rnd)	43gm	Undersize	150
2GPTWPS-60R-120-X00	Black	.600" (Rnd)	48gm	Standard	150
2GPTWPS-58R-120-X00	Black	.580" (Rnd)	50gm	Standard	150
2GPTWPS-60R-411-X00	Red	.600" (Rnd)	48gm	Standard	150
2GPTWPS-60R-050-X11	White	.600" (Rnd)	55gm	Standard	150
2GPTWPS-60R-220-X00	Blue	.600" (Rnd)	50gm	Standard	150
2GPTWPM-60R-120-X00	Black	.600" (Rnd)	58gm	Midsized	100
2GPTWPM-60R-050-X11	White	.600" (Rnd)	65gm	Midsized	100
2GPTWPJ-60R-120-X00	Black	.600" (Rnd)	73gm	Jumbo	100




**Golf Pride**
**MICROSUEDE**

- The Tour Wrap is now available with NEW MicroSuede Technology, a proprietary brushed surface finish that delivers soft feel and added traction

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
TWFS-60R-F7G-X00	Grey	.600"	47gm	Standard	150
TWFM-60R-F7G-X00	Grey	.600"	57gm	Midsize	100



### TRANSFORMER PORTABLE GRIPPING STAND

6GM100011

- The Transformer portable gripping stand allows clubmakers of all skill levels to build their own "dream" gripping station using our large selection of compatible bolt-on gripping vises, tools and accessories

#### COMPATIBLE WITH:



6GM100605  
MICRO GRIPPER



6GM100732  
BENCH MOUNT  
PROFESSIONAL  
GRIPPING STATION



6GM100620  
GRIPDIP  
SPEED  
GRIPPER







### DRI-TAC LADIES

- WinnDry polymer material
- Tacky, nonslip performance, in all weather conditions
- Comfortable and pain free playability
- Scientifically engineered tread pattern

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W3DT-BK	Black	.590" (Rnd)	35gm	Lady	150
2W3DT-GY	Grey	.590" (Rnd)	35gm	Lady	150
2W3DT-GPK	Black/Pink	.590" (Rnd)	39gm	Lady	150



### DRI-TAC STANDARD

- WinnDry polymer material
- Tacky, nonslip performance, in all weather conditions
- Comfortable and pain free playability
- Scientifically engineered tread pattern

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W5DT-BK	Black	.600" (Rnd)	48gm	Standard	150
2W5DT-DG	Dark Grey	.600" (Rnd)	48gm	Standard	150
2W5DT-BRD	Black/Red	.600" (Rnd)	48gm	Standard	150
2W5DT-NB	Navy	.600" (Rnd)	48gm	Standard	150





### DRI-TAC MIDSIZE

- WinnDry polymer material
- Tacky, nonslip performance, in all weather conditions
- Comfortable and pain free playability
- Scientifically engineered tread pattern

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W6DT-BK	Black	.600" (Rnd)	49gm	Midsize	150
2W6DT-DG	Dark Grey	.600" (Rnd)	49gm	Midsize	150
2W6DT-BBL	Black/Blue	.600" (Rnd)	49gm	Midsize	150
2W6DT-NB	Navy	.600" (Rnd)	49gm	Midsize	150



### DRI-TAC JUMBO

- WinnDry polymer material
- Tacky, nonslip performance, in all weather conditions
- Comfortable and pain free playability
- Scientifically engineered tread pattern

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W7DT-BK	Black	.600" (Rnd)	50gm	Jumbo	150
2W7DT-DG	Dark Grey	.600" (Rnd)	50gm	Jumbo	150
2W7DT-NB	Navy	.600" (Rnd)	50gm	Jumbo	150





## DRI-TAC WRAP

- Dri-Tac Wrap has a contoured feel in a classic wrap-style design
- WinnDry polymer provides cushion and comfort with exceptional non-slip all-weather performance

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W5DTWR-DG	Grey	.600" (Rnd)	50gm	Standard	150
2W6DTWR-DG	Grey	.600" (Rnd)	50gm	Midsized	150
2W7DTWR-DG	Grey	.600" (Rnd)	50gm	Jumbo	150



## EXCEL

- Winn's original Excel polymer material
- Amazing tackiness and cushioned comfort
- The premier grip for shock absorption and vibration dampening

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2W5715W	Black	.600" (Rnd)	42gm	Standard	150
2W6715W	Black	.600" (Rnd)	43gm	Midsized	150
2W7715W	Black	.600" (Rnd)	47gm	Jumbo	150




**Professional**
**PROFESSIONAL SERIES**

- A popular pattern
- An economical grip for the social golfer

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2RM3061L	Black/White	.560" (Rnd)	49gm	Undersize	250
2RM0306M-Y	Yellow	.580" (Rnd)	50gm	Standard	250
2RM0306M-O	Orange	.580" (Rnd)	50gm	Standard	250
2RM0306M-R	Red	.580" (Rnd)	50gm	Standard	250
2RM0306M-B	Blue	.580" (Rnd)	50gm	Standard	250
2RM0306M-GR	Green	.580" (Rnd)	50gm	Standard	250
2RM0306M-GY	Grey	.580" (Rnd)	50gm	Standard	250
2RM02L-G	Mint	.560" (Rnd)	42gm	Lady	250
2RM02L-PK	Musk	.560" (Rnd)	42gm	Lady	250
2RM02L-PU	Lavender	.560" (Rnd)	42gm	Lady	250





### Professional

### ARTHRITIC

- The Grip One Arthritic golf grip has a shock absorbent, textured rubber compound that is ideal for grip pressure

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2G1AJ	Black	.580" (Rnd)	81gm	Oversize	250



### Professional

### PROFESSIONAL SERIES C/L

- A popular pattern
- An economical grip for the social golfer

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2RM3061M	Black/White	.580" (Rnd)	52gm	Standard	250
2RM3061S	Black/White	.580" (Rnd)	63gm	Midsize	250
2RM3061J	Black/White	.580" (Rnd)	78gm	Jumbo	250



### Professional

### PROFESSIONAL SERIES CORD

- A popular pattern
- An economical full cord grip for all weather conditions

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2RM3061F/C	Black/White	.580" (Rnd)	54gm	Standard	250
2RM3061F/C-M	Black/White	.580" (Rnd)	65gm	Midsize	250



### Professional

### PROFESSIONAL SERIES PUTTER

- Designed with a flat front and a pistol style back

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2RM3061P	Black/White	.580"	72gm	Standard	250



NEW  
2020NEW  
2020NEW  
2020**Golf Pride****PRO ONLY**

- **Red:** Arched Paddle Front, Slight Pistol Kick for Hand Heel Pad
- **Blue:** Wide Flat Paddle Front, Angled Back Shape
- **Green:** Arched Paddle Front, Oval Back Shape for Hand Comfort and Positioning

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPP01S-58R-FZ0-XA	Red	.600"	74.5gm	Midsized	50
2GPP03S-58R-FZ0-XA	Blue	.600"	83.5gm	Midsized	50
2GPP02S-58R-FZ0-XA	Green	.600"	88gm	Midsized	50

**Golf Pride****TOUR SNSR**

- The most-preferred sculpted pistol shape on the worldwide Tours is now available in our proprietary SNSR rubber blend, with two oversized shapes for maximum feel and feedback
- TOUR SNSR CONTOUR is an evolution of the classic tapered pistol profile that is the shape preference of over 75% of Tour players

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2GPPP1M-58R-33GB-XA	PRO 104cc Grey	.580"	90gm	Standard
2GPPP1L-58R-33GB-XA	PRO 140cc Grey	.580"	124gm	Midsized
2GPS1M-58R-33BL-XA	Straight 104cc Blue	.580"	90gm	Standard
2GPS1L-58R-33BL-XA	Straight 140cc Blue	.580"	120gm	Midsized
2GPC1M-58R-33RD-XA	Contour 104cc Red	.580"	90gm	Standard
2GPC1L-58R-33RD-XA	Contour 140cc Red	.580"	120gm	Midsized

**Golf Pride****TOUR TRADITION**

- Developed with a smaller, paddle front design which is preferred by Tour professionals


CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2GPGOPP-58R-R1H-XO	Black	.580"	58gm	Standard

**Golf Pride****PLAYERS WRAP**

- Smooth flat front for superior control
- Back of grip is pistol shaped in a simulated leather wrap

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE	CASE QTY
2GPSP-58R-120-X00	Black	.580"	76gm	Standard	100






### PRO X 1.18

- Features a less tapered profile than traditional designs to eliminate wrist movement during the stroke
- WinnLite Technology minimizes grip weight, enhances clubhead feel and provides stability

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WPX18-BKR	Black	.590"	54gm	Standard
2WPX18-BCG	Blue/White	.590"	54gm	Standard
2WPX18-RCG	Red/White	.590"	54gm	Standard




### PRO X 1.32

- Features a less tapered profile than traditional designs to eliminate wrist movement during the stroke
- WinnLite Technology minimizes grip weight, enhances clubhead feel and provides stability

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WPX32-BKB	Black	.590"	70gm	Midsize
2WPX32-BGY	Blue/Grey	.590"	70gm	Midsize
2WPX32-RGY	Red/Grey	.590"	70gm	Midsize





### PRO X 1.60

- Features a less tapered profile than traditional designs to eliminate wrist movement during the stroke
- WinnLite Technology minimizes grip weight, enhances clubhead feel and provides stability

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WPX60-BKS	Black	.590"	98gm	Jumbo
2WPX60-BBK	Black/Blue	.590"	98gm	Jumbo
2WPX60-RBK	Black/Red	.590"	98gm	Jumbo



### NO-TAPER PISTOL

- The NTP is designed to promote light and even grip pressure to eliminate added movement during the putting stroke

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WNTP-BK	Black	.590"	126gm	Midsized
2WNTP-BL	Blue	.590"	126gm	Midsized
2WNTP-RD	Red	.590"	126gm	Midsized






### EXCEL TOUR PISTOL

- Our new Tour Pistol is designed for players who prefer a traditional size and shape putter grip
- All new models come in a unique tone-on-tone color look with an enhanced hexagon pattern, which provides great feel and slip-resistance, promoting light grip pressure

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WTPM-BK	Black	.590"	62gm	Standard
2WTPM-BL	Blue	.590"	62gm	Standard
2WTPM-RD	Red	.590"	62gm	Standard



### DRI-TAC PUTTER

- With soft edges, proven performance
- Dri-Tac performance material offers the ultimate in comfort, feel and slip-resistance in all-weather conditions

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WM8DT-DG	Dark Grey	.590"	56gm	Standard
2W68DT-DG	Dark Grey	.590"	74gm	Midsized
2WJ8LDT-DG	Dark Grey	.590"	56gm	Jumbo
2W68LDT-BK	Black	.590"	74gm	Midsized
2WJ8LDT-BK	Black	.590"	56gm	Jumbo



**NEW  
2020**

**NEW  
2020**



### EXCEL 2020-VSN PISTOL

- The Excel polymer material with a new hexagon pattern, offers unmatched feel and performance, while providing that comfortable tacky feel you've come to expect from Winn

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2W8WV-BK	Black	.590"	59gm	Standard
2W8WV-BRD	Black/Red	.590"	59gm	Standard





### EXCEL 2020-VSN PISTOL – MIDSIZE

- The Excel polymer material with a new hexagon pattern, offers unmatched feel and performance, while providing that comfortable tacky feel you've come to expect from Winn

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2W68WV-BK	Black	.590"	77gm	Midsize
2W68WV-BRD	Black/Red	.590"	77gm	Midsize
2W68WV-BLB	Blue/Blue	.590"	77gm	Midsize



### EXCEL 2020-VSN PISTOL – JUMBO

- The Excel polymer material with a new hexagon pattern, offers unmatched feel and performance, while providing that comfortable tacky feel you've come to expect from Winn

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2WJ8LWV-BK	Black	.590"	57gm	Jumbo
2WJ8LWV-RGR	Red/Grey	.590"	57gm	Jumbo
2WJ8LWV-BGR	Blue/Grey	.590"	57gm	Jumbo





## ORIGINAL

- The revolutionary FLAT CAT® putter grip puts the face of the putter in the palm of your hand
- Each side of the FLAT CAT® grip is in a parallel plane with the putter face, promoting more fluid, consistent accurate putting

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2FC8718NT	SVELTE - White/Green	.580"	53gm	Standard
2FC8707NT	STD - White/Green	.580"	68gm	Standard
2FC8708NT	FAT - White/Green	.580"	88gm	Midsized
2FC8706NT	SLIM - White/Green	.580"	44gm	Undersize
2FC8709NT	BIG BOY - White/Green	.580"	104gm	Oversize



## TAK

- The tackier feel of the rubber grip features exclusive FLAT1™ grip shape
- FLAT CAT® putter grip puts the face of the putter in the palm of your hand
- Each side of the FLAT CAT grip is in a parallel plane with the putter face, promoting more fluid, consistent accurate putting

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2FC8726	SVELTE - Black	.580"	75gm	Standard
2FC8728	STD - Black	.580"	92gm	Standard



## SOLUTION

- The FLAT CAT Solution's patented stainless steel weighted cone, optimally positioned directly BELOW the hands, produces a smoother, more consistent, pendulum-like stroke

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2FC8722	STD - Black	.580"	172gm	Standard



NEW  
2020



## PISTOL

- The pistol putter grip offers a more traditional grip for your putter, including a flat top and a rounded bottom. The superior feel of this putter grip quiets both the hands and the mind, allowing you to concentrate on your short game

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2FC8733	Black/Green	.580"	79gm	Standard





## AWARE TOUR

- The Aware Tour is a hybrid paddle pistol grip
- Both sides of the Aware are flat just like the Classic, but is smaller in size and takes up less of the palms

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2P2ATBKW	Black/White	.570"	55gm	Midsized
2P2ATBKGN	Black/Green	.570"	55gm	Midsized
2P2ATBKPNK	Black/Pink	.570"	55gm	Midsized
2P2ATBKY	Black/Yellow	.570"	55gm	Midsized
2P2ATWBK	White/Black	.570"	55gm	Midsized



## CLASSIC TOUR

- The Classic Tour is the same as the Classic Core hybrid paddle pistol grip
- Both sides of the Classic are flat and designed to fill out the palms of both hands

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2P2CTBKW	Black/White	.570"	65gm	Oversize
2P2CTBKGN	Black/Green	.570"	65gm	Oversize
2P2CTBKPNK	Black/Pink	.570"	65gm	Oversize
2P2CTBKY	Black/Yellow	.570"	65gm	Oversize
2P2CTWBK	White/Black	.570"	65gm	Oversize



## REACT TOUR

- The React Tour is still an oversized grip with rounded sides, that is smaller than the P2 Reflex
- It features a minimal taper from top to bottom to reduce tension throughout the hands and arms

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2P2RTTBKW	Black/White	.570"	67gm	Oversize
2P2RTTBKGN	Black/Green	.570"	67gm	Oversize
2P2RTTBKPNK	Black/Pink	.570"	67gm	Oversize
2P2RTTBKY	Black/Yellow	.570"	67gm	Oversize
2P2RTTWBK	White/Black	.570"	67gm	Oversize



## REFLEX TOUR

- The Reflex is the biggest grip in the P2 range
- The sides of the Reflex are more rounded in profile, and features a minimal taper from top to bottom to reduce tension throughout the hands and arms

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2P2RXTBKW	Black/White	.570"	75gm	Oversize
2P2RXTBKGN	Black/Green	.570"	75gm	Oversize
2P2RXTBKPNK	Black/Pink	.570"	75gm	Oversize
2P2RXTBKY	Black/Yellow	.570"	75gm	Oversize
2P2RXTWBK	White/Black	.570"	75gm	Oversize





### Professional

### TRAINING

- Teach proper hand and finger positioning for ideal golf grip

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
GRH-2RMT01	Black/White	.580"	79gm	Standard
GLH-2RMT01L	Black/White	.580"	79gm	Standard
LRH-2RMT01L	Black/White	.560"	65gm	Lady



### COUNTER BALANCE 15"

- Inspired by the trend toward counter-balance putters, this sleek 15" offering has a longer profile for multiple hand placement options
- The comfortable, tacky Excel polymer uses multiple tread patterns for ultimate feel

CODE	DESCRIPTION	LENGTH	CORE	WEIGHT	INSTALLED SIZE
2W15P-BK	Black	15"	.600"	128gm	Pistol
2W15P-RD	Red	15"	.600"	128gm	Pistol
2W17WR-DG	Grey	17"	.610"	128gm	Standard
2W62P21RB	Black/Red	21"	.620"	155gm	Midsized



*Professional***1-PIECE FLAT PISTOL BELLY 19"**

- 19" pistol belly grip features a spiral wrap design that provides a soft, tacky feel that improves performance on the greens

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2BP05	Black/Silver	.600"	145gm	Midsized


**winn**  
 The best grips in golf
**1-PIECE ROUND BELLY 21"**

- Winn's 21-inch round belly grip uses WinnDry Polycord material for a firmer, more textured feel

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2W21R-BL	Blue	0.600	144g	Midsized

*Professional***1-PIECE ROUND BELLY 19"**

- 19" round belly grip features a spiral wrap design that provides a soft, tacky feel that improves performance on the greens

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2BP03	Black/Silver	.600"	145gm	Midsized

*Professional***2-PIECE ROUND BELLY**

- Soft feeling, wrap style in a 2-piece long putter grip

CODE	DESCRIPTION	CORE	WEIGHT	INSTALLED SIZE
2BP01	Black	.600"	134gm	Midsized



# NOW AVAILABLE AT GOLF IMPORTS



Golf Imports now offers the following services direct from our **NEW** workshop, fitted with the highest grade equipment and operated by skilled technicians:

- » Shaft preparation
- » Shaft installation
- » Shaft extraction
- » Shaft analysis
- » Putter Lie Loft
- » Club Lie Loft
- » Swing-weighting
- » Frequency Matching

Contact Golf Imports on 03 5277 3977 or email [sales@golfimports.com.au](mailto:sales@golfimports.com.au) for more information.



NEW  
2020

ALDILA

## ROGUE BLACK 130 MSI

- The ROGUE® Black 130 M.S.I. is a mid-high launch, mid spin shaft with a reinforced tip-section fortified with 130 M.S.I. Graphitic Carbon Fiber and a higher-balance point

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX118-WR-1AA	R	W8	.335"	56gm	46"	5.2	3.0"	Mid/High	Mid
1GASAX118-WS-1AA	S	W8	.335"	58gm	46"	5.1	3.0"	Mid/High	Mid
1GASAX104-WR-1AA	R	W8	.335"	61gm	46"	4.6	3.0"	Mid/High	Mid
1GASAX104-WS-1AA	S	W8	.335"	63gm	46"	4.4	3.0"	Mid/High	Mid
1GASAX104-WTX1AA	X	W8	.335"	65gm	46"	4.0	3.0"	Mid/High	Mid
1GASAX105-WS-1AA	S	W8	.335"	74gm	46"	4.0	3.0"	Mid/High	Mid
1GASAX105-WTX1AA	X	W8	.335"	77gm	46"	3.2	3.0"	Mid/High	Mid
1GASAX106-WTX1AA	X	W8	.335"	86gm	46"	2.7	3.0"	Mid/High	Mid

NEW  
2020

ALDILA

## ROGUE WHITE 130 MSI

- The ROGUE® White 130 M.S.I. pushes the limits of performance with the use of extremely high modulus, 130 M.S.I. Graphitic Carbon Fibers to provide the ultimate in performance from a Mid Launch, Low Spin profile

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX116-WR-1AB	R	W8	.335"	63gm	46"	4.9	3.0"	Mid	Low
1GASAX116-WS-1AB	S	W8	.335"	66gm	46"	4.2	3.0"	Mid	Low
1GASAX116-WX-1AB	X	W8	.335"	68gm	46"	3.5	3.0"	Mid	Low
1GASAX103-WR-1AB	R	W8	.335"	69gm	46"	4.2	3.0"	Mid	Low
1GASAX103-WS-1AB	S	W8	.335"	73gm	46"	3.7	3.0"	Mid	Low
1GASAX103-WX-1AB	X	W8	.335"	76gm	46"	3.1	3.0"	Mid	Low
1GASAX117-WS-1AB	S	W8	.335"	80gm	46"	3.4	3.0"	Mid	Low
1GASAX117-WX-1AB	X	W8	.335"	85gm	46"	3.2	3.0"	Mid	Low

NEW  
2020

ALDILA

## ROGUE SILVER 130 MSI

- The ROGUE® Silver 130 M.S.I. is a low-launch, low-spin shaft with a low torque tip-section fortified with 130 M.S.I. Graphitic Carbon Fiber, a higher balance point, and a premium ion plated finish

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX096-WR-1AB	R	W8	.335"	61gm	46"	3.7	3.0"	Low	Low
1GASAX096-WS-1AB	S	W8	.335"	64gm	46"	3.7	3.0"	Low	Low
1GASAX096-WTX1AB	X	W8	.335"	66gm	46"	3.5	3.0"	Low	Low
1GASAX097-WS-1AB	S	W8	.335"	73gm	46"	3.1	3.0"	Low	Low
1GASAX097-WTX1AB	X	W8	.335"	75gm	46"	2.9	3.0"	Low	Low
1GASAX098-WTX1AB	X	W8	.335"	82gm	46"	2.7	3.0"	Low	Low





EXCLUSIVE

ALDILA

## ROGUE ELITE ORANGE

- Exotic "Graphitic Carbon" material allows for firmer designs with lower torque without adding weight, providing extreme stability and consistency
- Counter balanced design ideal for modern driver head weights and length

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASQ8WR60ATAA	R	W18	.335"	54gm	46"	5.0	3.0"	High	Mid
1GASQ8WS60ATAA	S	W18	.335"	54gm	46"	4.5	3.0"	High	Mid
1GASQ8WX60ATAA	X	W18	.335"	55gm	46"	4.0	3.0"	High	Mid
1GASR8WR60ATAA	R	W18	.335"	63gm	46"	5.0	3.0"	High	Mid
1GASR8WS60ATAA	S	W18	.335"	66gm	46"	4.5	3.0"	High	Mid
1GASR8WX60ATAA	X	W18	.335"	66gm	46"	3.8	3.0"	High	Mid



EXCLUSIVE

ALDILA

## ROGUE ELITE BLUE

- Counter balanced design ideal for modern driver head weights and length
- Designed using Aldila's Tru-Fit System, allowing for better custom fitting
- Digitally measured flex zones identify tip, mid and butt flex, offering a clear point of differentiation

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASQ5WR60ATBA	R	W18	.335"	56gm	46"	5.0	3.0"	Mid	Low
1GASQ5WS60ATBA	S	W18	.335"	55gm	46"	4.5	3.0"	Mid	Low
1GASQ5WX60ATBA	X	W18	.335"	57gm	46"	4.0	3.0"	Mid	Low
1GASR5WR60ATBA	R	W18	.335"	63gm	46"	5.0	3.0"	Mid	Low
1GASR5WS60ATBA	S	W18	.335"	66gm	46"	4.5	3.0"	Mid	Low
1GASR5WX60ATBA	X	W18	.335"	65gm	46"	3.8	3.0"	Mid	Low



EXCLUSIVE

ALDILA

## ROGUE ELITE GREEN

- Features the same innovative design and material technology that made the Rogue the leading shaft on the PGA Tour
- Exotic "Graphitic Carbon" material allows for firmer designs with lower torque without adding weight

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASQ4WR60ATCA	R	W18	.335"	57gm	46"	5.0	3.0"	Low	Low
1GASQ4WS60ATCA	S	W18	.335"	55gm	46"	4.5	3.0"	Low	Low
1GASQ4WX60ATCA	X	W18	.335"	58gm	46"	4.2	3.0"	Low	Low
1GASR4WR60ATCA	R	W18	.335"	64gm	46"	5.0	3.0"	Low	Low
1GASR4WS60ATCA	S	W18	.335"	66gm	46"	4.5	3.0"	Low	Low
1GASR4WX60ATCA	X	W18	.335"	65gm	46"	3.8	3.0"	Low	Low



ALDILA

## TOUR BLUE

- The Aldila Tour Blue offers the same advanced performance of the Tour Green with a softer tip section to promote higher ball flight
- The constant taper shaft profile provides exceptional feel and a smooth, controlled release
- The Tour Blue is also made with the latest generation of Aldila's Micro Laminated materials (MLT™)
- The ultra thin, ultra strong material allows for the construction of a shaft with outstanding performance and unparalleled consistency

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASEJWR60AB4A	R	W21	.335"	68gm	46"	4.3	3.0"	Mid	Low
1GASEJWS60AB4A	S	W21	.335"	69gm	46"	3.9	3.0"	Mid	Low
1GASEJWX60AB4A	X	W21	.335"	71gm	46"	4.2	3.0"	Mid	Low
1GASEJWTX60AB4A	TX	W21	.335"	69gm	46"	3.7	3.0"	Mid	Low
1GASEKWR60AB4A	R	W21	.335"	74gm	46"	3.2	3.0"	Mid	Low
1GASEKWS60AB4A	S	W21	.335"	76gm	46"	2.7	3.0"	Mid	Low
1GASEKWX60AB4A	X	W21	.335"	76gm	46"	3.9	3.0"	Mid	Low
1GASEKWTX60AB4A	TX	W21	.335"	76gm	46"	3.5	3.0"	Mid	Low

## HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASELHR20AB4A	R	IR1	.370"	84gm	42"	2.8	3.0"	Mid	Low
1GASELHS20AB4A	S	IR1	.370"	86gm	42"	2.5	3.0"	Mid	Low
1GASELHX20AB4A	X	IR1	.370"	86gm	42"	2.3	3.0"	Mid	Low
1GASELHTX20AB4A	TX	IR1	.370"	86gm	42"	2.2	3.0"	Mid	Low

ALDILA

## TOUR GREEN

- The Aldila Tour Green utilizes the latest materials and manufacturing technology to create a new shaft designed to maximize the power of your individual golf swing
- The constant taper shaft profile provides exceptional feel and a smooth, controlled release
- The Tour Green is made with the latest generation of Aldila's Micro Laminated materials (MLT™)
- The ultra thin, ultra strong material allows for the construction of a shaft with outstanding performance and unparalleled consistency

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASFJWR60AEFA	R	W21	.335"	66gm	46"	4.5	3.0"	Mid-Low	Low
1GASFJWS60AEFA	S	W21	.335"	67gm	46"	3.9	3.0"	Mid-Low	Low
1GASFJWTS60AEFA	TS	W21	.335"	67gm	46"	3.5	3.0"	Mid-Low	Low
1GASFJWX60AEFA	X	W21	.335"	69gm	46"	3.5	3.0"	Mid-Low	Low
1GASFJWTX60AEFA	TX	W21	.335"	69gm	46"	3.3	3.0"	Mid-Low	Low
1GASFKWR60AEFA	R	W21	.335"	72gm	46"	4.3	3.0"	Mid-Low	Low
1GASFKWS60AEFA	S	W21	.335"	74gm	46"	3.7	3.0"	Mid-Low	Low
1GASFKWTS60AEFA	TS	W21	.335"	76gm	46"	3.3	3.0"	Mid-Low	Low
1GASFKWX60AEFA	X	W21	.335"	75gm	46"	3.3	3.0"	Mid-Low	Low
1GASFKWTX60AEFA	TX	W21	.335"	76gm	46"	2.8	3.0"	Mid-Low	Low

## HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASFLHR20AEFA	R	IR1	.370"	84gm	42"	2.8	3.0"	Mid	Low
1GASFLHS20AEFA	S	IR1	.370"	86gm	42"	2.5	3.0"	Mid	Low
1GASFLHX20AEFA	X	IR1	.370"	86gm	42"	2.3	3.0"	Mid	Low
1GASFLHS20AEFA	TX	IR1	.370"	86gm	42"	2.2	3.0"	Mid	Low





ALDILA

## QUARANTA SAPPHIRE

- The ALDILA® QUARANTA® Sapphire is a high-performance, ultra lightweight sub-50 gram golf shaft

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX080-WA-1AA	A	W21	.335"	47gm	46.0"	5.1	3.0"	Mid	Mid
1GASAX080-WR-1AA	R	W21	.335"	49gm	46.0"	5.1	3.0"	Mid	Mid



ALDILA

## QUARANTA BLUE

- The ALDILA® QUARANTA® Blue, is a high performance, ultra lightweight, sub-50 gram shaft design
- By optimizing structure, and material placement, the ALDILA® QUARANTA® Series offers optimum flex and torque characteristics for the player

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX064-WA-1AA	A	W21	.335"	50gm	46.0"	5.9	3.0"	Mid	Mid
1GASAX064-WR-1AA	R	W21	.335"	52gm	46.0"	5.7	3.0"	Mid	Mid



ALDILA

## XTORSION GREEN

- The ALDILA® XTORSION® Green features our classic stiff-tip low launch profile as well as a new and unique woven graphite material on the outer layer of the shaft at the tip-section

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASGLWS60AG6A	S	W21	.335"	66gm	46.0"	3.6	3.0"	Mid-Low	Low
1GATGLWY60AG6A	TX	W21	.335"	68gm	46.0"	3.1	3.0"	Mid-Low	Low
1GASGMWS60AG6A	S	W21	.335"	74gm	46.0"	3.1	3.0"	Mid-Low	Low
1GATGMWY60AG6A	TX	W21	.335"	75gm	46.0"	2.9	3.0"	Mid-Low	Low



ALDILA

## XTORSION COPPER

- The ALDILA® XTORSION® Copper features a stiff tipped, Counter Balanced design along with a new and unique woven graphite material on the outer layer of the shaft at the tip-section

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASHMWS60AC6A	S	W21	.335"	67gm	46.0"	4.2	3.0"	Mid-Low	Low
1GASHNWX60AC6A	X	W21	.335"	70gm	46.0"	3.3	3.0"	Mid-Low	Low
1GAX084-WTX1AA	TX	W21	.335"	70gm	46.0"	2.3	3.0"	Mid-Low	Low



NEW  
2020

ALDILA

## RIP X

- RIPX® takes stability to a whole new level. An innovative profile balances an even stiffer butt section with an increase in torque to create a shaft that feels both incredibly stable in the player's hands and highly responsive

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX134-WR-1AB	R	W8	.335"	52gm	46"	5.2	3.0"	Mid	Low
1GASAX134-WS-1AB	S	W8	.335"	55gm	46"	5	3.0"	Mid	Low
1GASAX120-WR-1AB	R	W8	.335"	65gm	46"	4.7	3.0"	Mid	Low
1GASAX120-WS-1AA	S	W8	.335"	66gm	46"	4.6	3.0"	Mid	Low
1GASAX120-WTX1AA	TX	W8	.335"	68gm	46"	4.2	3.0"	Mid	Low
1GASAX121-WS-1AB	TX	W8	.335"	74gm	46"	3.5	3.0"	Mid	Low
1GASAX121-WTX1AA	S	W8	.335"	78gm	46"	3.5	3.0"	Mid	Low
1GASAX122-WTX1AA	TX	W8	.335"	87gm	46"	2.9	3.0"	Mid	Low
1GASAX128-WTX1AA	TX	W8	.335"	97gm	46"	2.8	3.0"	Mid	Low

ALDILA

## VS PROTO

- Next generation Micro Laminate Technology™ combines Carbon Nano-Tubes with Aldila's proprietary A65 Performance Resin System
- The straightest, longest shaft Aldila has ever offered
- Unparalleled performance and feel

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GAS6XWR60AXXA	R	W21	.335"/.350"	60gm	46"	3.2	3.0"	Mid-Low	Low
1GAS6XWS60AXXA	S	W21	.335"/.350"	60gm	46"	3.2	3.0"	Mid-Low	Low
1GAS6XWX60AXXA	X	W21	.335"/.350"	60gm	46"	3.2	3.0"	Mid-Low	Low
1GAS7XWR60AXXA	R	W21	.335"/.350"	70gm	46"	2.8	3.0"	Mid-Low	Low
1GAS7XWS60AXXA	S	W21	.335"/.350"	70gm	46"	2.8	3.0"	Mid-Low	Low
1GAS7XWX60AXXA	X	W21	.335"/.350"	70gm	46"	2.8	3.0"	Mid-Low	Low
1GAS8XWR60AXXA	R	W21	.335"/.350"	80gm	46"	2.2	3.0"	Mid-Low	Low
1GAS8XWS60AXXA	S	W21	.335"/.350"	80gm	46"	2.2	3.0"	Mid-Low	Low
1GAS8XWX60AXXA	X	W21	.335"/.350"	80gm	46"	2.2	3.0"	Mid-Low	Low

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GAS8XHR20AXXA	R	IR1	.370"/.355"	80gm	42"	2.0	3.0"	Mid-Low	Low
1GAS8XHS20AXXA	S	IR1	.370"/.355"	80gm	42"	2.0	3.0"	Mid-Low	Low
1GAS8XHX20AXXA	X	IR1	.370"/.355"	80gm	42"	2.0	3.0"	Mid-Low	Low
1GAS9XHR20AXXA	R	IR1	.370"/.355"	95gm	42"	1.4	3.0"	Mid-Low	Low
1GAS9XHS20AXXA	S	IR1	.370"/.355"	95gm	42"	1.4	3.0"	Mid-Low	Low
1GAS9XHX20AXXA	X	IR1	.370"/.355"	95gm	42"	4.4	3.0"	Mid-Low	Low

ALDILA

## NV PINK

- Micro Laminate Technology uses exclusive, ultra-thin aerospace grade prepreg that produces a shaft with unmatched consistency

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASG5WL60APVA	L	W21	.335"/.350"	55gm	46"	4.0	3.0"	Mid-Low	Low

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GAS5AIL20APVA	L	IR1	.370"/.355"	55gm	42"	5.0	3.0"	Mid	Low





ALDILA

NVS

- Features the same unmatched performance and feel of the original NV with higher launch
- Features a more responsive tip for those seeking higher ball flight
- NVS 65 is the most popular weight for high performance drivers

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASN4WL60AZMA	L	W21	.335"/.350"	45gm	46"	5.1	3.0"	Mid-High	High
1GASN4WA60APVA	A	W21	.335"/.350"	45gm	46"	5.1	3.0"	Mid-High	High
1GASN5WA60APVA	A	W21	.335"/.350"	55gm	46"	4.4	3.0"	Mid	High
1GASN5WR60AZMA	R	W21	.335"/.350"	55gm	46"	4.4	3.0"	Mid	High
1GASN5WS60AZMA	S	W21	.335"/.350"	55gm	46"	4.4	3.0"	Mid	High
1GASN5WX60AZMA	X	W21	.335"/.350"	55gm	46"	4.4	3.0"	Mid	High
1GASN6WR60APVA	R	W21	.335"/.350"	65gm	46"	3.6	3.0"	Mid	High
1GASN6WS60APVA	S	W21	.335"/.350"	65gm	46"	3.6	3.0"	Mid	High
1GASN6WX60AZMA	X	W21	.335"/.350"	65gm	46"	3.6	3.0"	Mid	High
1GASN7WR60APVA	R	W21	.335"/.350"	75gm	46"	3.2	3.0"	Mid	High
1GASN7WS60APVA	S	W21	.335"/.350"	75gm	46"	3.2	3.0"	Mid	High
1GASN7WX60AZMA	X	W21	.335"/.350"	75gm	46"	3.2	3.0"	Mid	High
1GASN8WR60AZMA	R	W21	.335"/.350"	85gm	46"	2.8	3.0"	Mid	High
1GASN8WS60AZMA	S	W21	.335"/.350"	85gm	46"	2.8	3.0"	Mid	High
1GASN8WX60AZMA	X	W21	.335"/.350"	85gm	46"	2.8	3.0"	Mid	High

## HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASB8IR20AZMA	R	IR1	.370"/.355"	85gm	42"	2.8	3.0"	Mid	High
1GASB8IS20AZMA	S	IR1	.370"/.355"	85gm	42"	2.8	3.0"	Mid	High
1GASB8IX20AZMA	X	IR1	.370"/.355"	85gm	42"	2.8	3.0"	Mid	High



ALDILA

NV

- Micro Laminate Technology uses exclusive, ultra-thin aerospace grade prepreg that produces a shaft with unmatched consistency
- No "dead spots" or inconsistent flex zones
- Designed for the player seeking a heavier shaft

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASG5WA60AZLB	A	W21	.335"/.350"	55gm	46"	3.9	3.0"	Mid-Low	Low
1GASG5WR60AZLB	R	W21	.335"/.350"	55gm	46"	3.9	3.0"	Mid-Low	Low
1GASG5WS60BZLB	S	W21	.335"/.350"	55gm	46"	3.9	3.0"	Mid-Low	Low
1GASG6WR60AZLB	R	W21	.335"/.350"	65gm	46"	3.5	3.0"	Mid-Low	Low
1GASG6WS60BZLB	S	W21	.335"/.350"	65gm	46"	3.5	3.0"	Mid-Low	Low
1GASG6WX60AZLB	X	W21	.335"/.350"	65gm	46"	3.5	3.0"	Mid-Low	Low
1GASG7WR60AZLB	R	W21	.335"/.350"	75gm	46"	2.8	3.0"	Mid-Low	Low
1GASG7WS60BZLB	S	W21	.335"/.350"	75gm	46"	2.8	3.0"	Mid-Low	Low
1GASG7WX60AZLB	X	W21	.335"/.350"	75gm	46"	2.8	3.0"	Mid-Low	Low
1GASG8WR60AZLB	R	W21	.335"/.350"	85gm	46"	2.6	3.0"	Mid-Low	Low
1GASG8WS60AZLB	S	W21	.335"/.350"	85gm	46"	2.6	3.0"	Mid-Low	Low
1GASG8WX60AZLB	X	W21	.335"/.350"	85gm	46"	2.6	3.0"	Mid-Low	Low

## HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASG8IR20AZLA	R	IR1	.370"/.355"	85gm.	42"	2.8	3.0"	Mid-Low	Low
1GASG8IS20AZLA	S	IR1	.370"/.355"	85gm.	42"	2.8	3.0"	Mid-Low	Low
1GASG8IX20AZLA	X	IR1	.370"/.355"	85gm.	42"	2.8	3.0"	Mid-Low	Low





ALDILA

## NVS PINK

- Features the same unmatched performance and feel of the original NV with higher launch

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASN4WL60APVA	L	W21	.335"/.350"	45gm	46"	5.1	3.0"	Mid-High	High
1GASN5WL60APVA	L	W21	.335"/.350"	55gm	46"	4.6	3.0"	Mid	High



ALDILA

## NV 2KXV ORANGE

- After years of development, Aldila has created NexGen Micro Laminate Technology™ – new, even thinner high performance carbon fibers combined with today's advanced fiber resin technology
- The result is even more layers of carbon fiber offering maximum consistency and performance

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASNPPWA60APDA	A	W21	.335"	62gm	46"	5.6	3.0"	Mid	High
1GASNPPWR60APDA	R	W21	.335"	63gm	46"	5.4	3.0"	Mid	High
1GASNPPWS60APDA	S	W21	.335"	65gm	46"	5.2	3.0"	Mid	High
1GASNPPWX60APDA	X	W21	.335"	68gm	46"	4.5	3.0"	Mid	High
1GASNQWA60APDA	A	W21	.335"	70gm	46"	4.9	3.0"	Mid	High
1GASNQWR60APDA	R	W21	.335"	71gm	46"	4.8	3.0"	Mid	High
1GASNQWS60APDA	S	W21	.335"	71gm	46"	4.6	3.0"	Mid	High
1GASNQWX60APDA	X	W21	.335"	75gm	46"	4.5	3.0"	Mid	High

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASNQHA20APDA	A	W2	.370"	84gm	42"	3.6	3.0"	Mid	High
1GASNQHR20APDA	R	W2	.370"	85gm	42"	3.4	3.0"	Mid	High
1GASNQHS20APDA	S	W2	.370"	87gm	42"	3.2	3.0"	Mid	High
1GASNQHX20APDA	X	W2	.370"	87gm	42"	3.0	3.0"	Mid	High



ALDILA

## NV 2KXV BLUE

- What separated the original NV® from the other shafts available was what some referred to as its 'perfect feel', the 2KNV provides for even better feel and performance
- Blue design for those seeking a mid ball flight

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GAS6LWR60APDA	R	W21	0.335	60gm	46"	5.0	3.0"	Mid	Mid
1GAS6LWS60APDA	S	W21	0.335	61gm	46"	4.6	3.0"	Mid	Mid
1GAS6LWX60APDA	X	W21	0.335	61gm	46"	4.0	3.0"	Mid	Mid
1GAS7LWR60APDA	R	W21	0.335	73gm	46"	4.3	3.0"	Mid	Mid
1GAS7LWS60APDA	S	W21	0.335	73gm	46"	3.8	3.0"	Mid	Mid
1GAS7LWX60APDA	X	W21	0.335	74gm	46"	3.0	3.0"	Mid	Mid

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GAS7LHR20APDA	R	W21	0.370	89gm	42"	2.9	3.0"	Mid	Mid
1GAS7LHS20APDA	S	W21	0.370	90gm	42"	2.5	3.0"	Mid	Mid
1GAS7LHX20APDA	X	W21	0.370	90gm	42"	2.2	3.0"	Mid	Mid





ALDILA

## NV 2KXV GREEN

- Aldila has created NexGen Micro Laminate Technology™ - new, even thinner high performance carbon fibers combined with today's advanced fiber resin technology
- The result is even more layers of carbon fiber offering maximum consistency and performance
- What separated the original NV from the other shafts available was what some referred to as its 'perfect feel', the 2KNV provides for even better feel and performance

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASNRWA60APDA	A	W21	.335"	64gm	46"	5.2	3.0"	Mid-Low	Low
1GASNRWR60APDA	R	W21	.335"	64gm	46"	4.9	3.0"	Mid-Low	Low
1GASNRWS60APDA	S	W21	.335"	65gm	46"	4.5	3.0"	Mid-Low	Low
1GASNRWX60APDA	X	W21	.335"	65gm	46"	3.9	3.0"	Mid-Low	Low
1GASNSWR60APDA	R	W21	.335"	71gm	46"	4.5	3.0"	Mid-Low	Low
1GASNSWS60APDA	S	W21	.335"	72gm	46"	4.0	3.0"	Mid-Low	Low
1GASNSWX60APDA	X	W21	.335"	74gm	46"	3.5	3.0"	Mid-Low	Low

## HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASNSHR20APDA	R	W21	.370"	85gm	42"	3.0	3.0"	Mid-Low	Low
1GASNSHS20APDA	S	W21	.370"	86gm	42"	2.6	3.0"	Mid-Low	Low
1GASNSHX20APDA	X	W21	.370"	87gm	42"	2.2	3.0"	Mid-Low	Low

NEW  
2020

ALDILA

## NV IRON

- The new ALDILA® NV® Irons offer unparalleled performance, in a 40" unitized iron, with a sleek black finish that is designed to complement the recently updated NV® and NVS wood shafts. Featuring high modulus carbon fibers and a toughed resin system, the NV® Irons offer the feel and stability that are demanded for precise iron play

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GASAX139-IA-3AA	A	IR37	.370"	46g	40.0"	5.8	5.5"	MID	MID
1GASAX139-IL-3AA	A	IR37	.370"	58g	40.0"	4.6	5.5"	MID	MID
1GASAX139-IR-3AA	R	IR37	.370"	61g	40.0"	4.5	5.5"	MID	MID
1GASAX140-IA-3AA	A	IR37	.370"	62g	40.0"	4.1	5.5"	MID	MID
1GASAX140-IR-3AA	R	IR37	.370"	64g	40.0"	4	5.5"	MID	MID
1GASAX141-IS-3AA	S	IR37	.370"	74g	40.0"	3.9	5.5"	MID	MID
1GASAX142-IS-3AA	S	IR37	.370"	86g	40.0"	3.4	5.5"	MID	MID
1GASAX143-IS-3AA	S	IR37	.370"	95g	40.0"	3.3	5.5"	MID	MID





## GRAFALLOY

## ATTACK

- Affordable graphite upgrade choice designed for higher handicap players

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATTCKWRS-46	R/S	W6/W13	.335"	69gm	46"	5.7	3.0"	Mid-High	Mid
1GUATTCKLTWAL-46	L/A	W6/W13	.335"	67gm	46"	5.7	3.0"	High	Mid

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATTCKIRS-42	R/S	IR2/IR4	.370"	74gm	42"	5.2	3.0"	Mid-Low	Mid
1GUATTCKLTIAL-42	L/A	IR2/IR4	.370"	72gm	42"	5.2	3.0"	High	Mid



## GRAFALLOY

## PROLAUNCH BLUE

- Ideal for slow controlled swings
- Super ultralite weight for increased clubhead speed
- Micro-Mesh Technology for increased control and distance
- Produces optimum launch angles
- Incorporates patent -pending "Dynamic Torsional Stability"

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GULAUNCHBLUE15433WA-46	A	W1	.335"	44gm	46"	5.0	2.0"	High	Mid
1GULAUNCHBLUE15433WL-46	L	W1	.335"	44gm	46"	5.0	2.0"	High	Mid
1GULAUNCHBLUE15433WR-46	R	W1	.335"	44gm	46"	5.0	2.0"	High	Mid
1GULAUNCHBLUE15433WS-46	S	W1	.335"	48gm	46"	5.0	2.0"	High	Mid
1GULAUNCHBLUE15633WR-46	R	W2	.335"	64gm	46"	3.2	4.5"	High	Mid
1GULAUNCHBLUE15633WS-46	S	W2	.335"	64gm	46"	2.8	4.5"	High	Mid
1GULAUNCHBLUE15633WX-46	X	W2	.335"	64gm	46"	2.8	4.5"	High	Mid



## GRAFALLOY

## PROLAUNCH RED

- Lower ball flight version of original Pro Launch
- Features Micro Mesh™ tip technology

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WGHT	LGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GULAUNCHRED15WR-46	R	W2	.335"	62gm	46"	3.0	3.0"	Low	Low
1GULAUNCHRED15WS-47	S	W2	.335"	64gm	46"	3.0	3.0"	Low	Low
1GULAUNCHRED15WX-48	X	W2	.335"	66gm	46"	3.0	3.0"	Low	Low





## DIAMANA BF SERIES

- Mitsubishi has taken its tour proven, time tested Blue Board profile and enhanced it using it's latest design and material innovations, to create the next generation Diamana™ BF-Series

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX536-WS-1AR	S	W8	.335"	66gm	46"	3.9	3.0°	Mid-Low	Mid-Low
1GUMX536-WX-1AR	X	W8	.335"	69gm	46"	3.8	3.0°	Mid-Low	Mid-Low
1GUMX537-WS-1AR	S	W8	.335"	74gm	46"	3.4	3.0°	Mid-Low	Mid-Low
1GUMX537-WX-1AR	X	W8	.335"	77gm	46"	3.4	3.0°	Mid-Low	Mid-Low



## DIAMANA DF SERIES

- Mitsubishi has taken two of it's most proven, time tested tour proven profiles – Blue Board and White Board, and it's latest design and material innovations, to create otheir newest lower launching, stiff tip profile - Diamana DF-Series

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX576-WS-1A	S	W8	.335"	64gm	46"	3.8	3.0°	Mid-Low	Low
1GUMX576-WX-1A	X	W8	.335"	66gm	46"	3.8	3.0°	Mid-Low	Low
1GUMX577-WS-1A	S	W8	.335"	73gm	46"	3.1	3.0°	Mid-Low	Low
1GUMX577-WX-1A	X	W8	.335"	77gm	46"	3.1	3.0°	Mid-Low	Low



## DIAMANA D+ LIMITED SERIES

- The next generation Diamana™ D+PLUS™ Limited Edition incorporates Mitsubishi Chemical's own DIALEAD™ Pitch Fiber into the butt-section of this new design to deliver maximum stability and increase energy transfer

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX546-WTX1AR	TX	W8	.335"	76gm	46"	2.7	3.0°	Mid-Low	Mid-Low
1GUMX546-WS-1AR	S	W8	.335"	70gm	46"	3.2	3.0°	Mid-Low	Mid-Low
1GUMX545-WTX1AR	TX	W8	.335"	66gm	46"	3.1	3.0°	Low	Low
1GUMX545-WS-1AR	S	W8	.335"	61gm	46"	3.5	3.0°	Low	Low



NEW  
2020



## MMT

- A finely tuned, highly responsive shaft that still provides the consistent launch and spin control needed for effective iron play

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX699-IA-1A	A	IR37	.370"	62gm	42"	5.9	5.5°	Mid	Mid
1GUMX699-IR-1A	R	IR37	.370"	64gm	42"	5.6	5.5°	Mid	Mid
1GUMX700-IR-1A	R	IR37	.370"	73gm	42"	5.1	5.5°	Mid	Mid
1GUMX701-IR-1A	R	IR37	.370"	84gm	42"	3.9	5.5°	Mid	Mid
1GUMX701-IS-A	S	IR37	.370"	86gm	42"	3.7	5.5°	Mid	Mid
1GUMX727-IS-1A	S	IR37	.370"	98gm	42"	3.4	5.5°	Mid	Mid





## TENSEI CK PRO WHITE

- TENSEI™ CK Pro White Builds off of the classic tip-stiff, low-launch bend profile preferred by stronger players the TENSEI™ CK Pro White incorporates the same Carbon Fiber/DuPont™ Kevlar® (CK) weave in the butt-section as the CK Pro Blue – providing enhanced stability and maximum feel

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX479-WR-1C	R	W8	.335"	60gm	46"	4.0	3.0°	Low	Low	
1GUMX479-WS-1CR	S	W8	.335"	62gm	46"	3.9	3.0°	Low	Low	
1GUMX479-WTX-1CR	TX	W8	.335"	68gm	46"	3.9	3.0°	Low	Low	
1GUMX480-WS-1CR	S	W8	.335"	73gm	46"	3.3	3.0°	Low	Low	
1GUMX480-WTX-1CR	TX	W8	.335"	77gm	46"	3.2	3.0°	Low	Low	
1GUMX481-WTX-1CR	TX	W8	.335"	86gm	46"	2.8	3.0°	Low	Low	



## TENSEI CK PRO ORANGE

- The TENSEI™ CK Pro Orange incorporates the same Carbon Fiber/ DuPont™ Kevlar® (CK) weave found in the butt-section of all TENSEI CK shafts – providing enhanced stability and maximum feel in this highly versatile design

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX581-WR-1AR	R	W8	.335"	61gm	46"	3.6	3.0°	Low	Low	
1GUMX581-WS-1BR	S	W8	.335"	64gm	46"	3.5	3.0°	Low	Low	
1GUMX581-WTX-1BR	TX	W8	.335"	67gm	46"	3.4	3.0°	Low	Low	
1GUMX582-WS-1BR	S	W8	.335"	72gm	46"	2.9	3.0°	Low	Low	
1GUMX582-WTX-1BR	TX	W8	.335"	74gm	46"	2.8	3.0°	Low	Low	
1GUMX583-WTX-1BR	TX	W8	.335"	85gm	46"	2.6	3.0°	Low	Low	

## TENSEI CK PRO ORANGE HYBRID

- The TENSEI™ CK Series Pro Orange Hybrid profile is the first high-balance point hybrid shaft to be developed by MCA GOLF
- Includes an extended Carbon Fiber/DuPont™ Kevlar® (CK) weave in the butt-section, Tungsten Infused Prepreg, and a reinforced tip-section

HYBRID SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX680-IR-1A	R	IR7	.370"	59gm	42"	5.0	4.0°	Low	Low	
1GUMX677-IR-1A	R	IR7	.370"	69gm	42"	3.9	4.0°	Low	Low	
1GUMX677-IS-1A	S	IR7	.370"	71gm	42"	3.9	4.0°	Low	Low	
1GUMX678-IR-1A	R	IR7	.370"	80gm	42"	3.2	4.0°	Low	Low	
1GUMX678-IS-1A	S	IR7	.370"	82gm	42"	3.2	4.0°	Low	Low	
1GUMX679-IS-1A	S	IR7	.370"	87gm	42"	2.8	4.0°	Low	Low	
1GUMX679-ITX1A	TX	IR7	.370"	94gm	42"	2.7	4.0°	Low	Low	
1GUMX702-ITX1A	TX	IR7	.370"	107gm	42"	2.7	4.0°	Low	Low	

**NEW 2020**


## TENSEI CK PRO BLUE

- TENSEI™ CK Pro Blue incorporates three times the Carbon Fiber/DuPont™ Kevlar® (CK) weave in the butt-section – providing enhanced stability and maximum feel

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX476-WR-1AR	R	W8	.335"	60gm	46"	4.1	3.0°	Mid	Mid-Low	
1GUMX476-WS-1AR	S	W8	.335"	64gm	46"	4.0	3.0°	Mid	Mid-Low	
1GUMX476-WTX-1A	TX	W8	.335"	68gm	46"	3.9	3.0°	Mid	Mid-Low	
1GUMX477-WS-1AR	S	W8	.335"	73gm	46"	3.2	3.0°	Mid	Mid-Low	
1GUMX477-WTX-1AR	TX	W8	.335"	77gm	46"	3.2	3.0°	Mid	Mid-Low	
1GUMX478-WTX-1AR	TX	W8	.335"	86gm	46"	2.8	3.0°	Mid	Mid-Low	





## TENSEI CK PRO RED

- The TENSEI™ CK Series Pro Red includes an extended Carbon Fiber/Kevlar® weave in the butt-section and a boron reinforced tip-section, that together refines and stabilizes the shaft's overall bend profile and improves feel

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX629-WR-1A	R	W8	.335"	62gm	46"	4.1	3.0°	Mid-High	Low
1GUMX629-WS-1A	S	W8	.335"	66gm	46"	4.1	3.0°	Mid-High	Low
1GUMX630-WS-1A	S	W8	.335"	75gm	46"	3.5	3.0°	Mid-High	Low



## TENSEI CK WHITE (2ND GEN)

- TENSEI™ CK White builds off of MCA GOLF's classic tip-stiff, low-launch bend profile preferred by stronger players, and incorporates the same Carbon Fiber/DuPont™ Kevlar® (CK) weave in the butt-section as TENSEI™ CK Blue

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX498-WR-1BR	R	W8	.335"	63gm	46"	4.6	3.0°	Mid-Low	Mid-Low
1GUMX498-WS-1BR	S	W8	.335"	67gm	46"	4.5	3.0°	Mid-Low	Mid-Low
1GUMX498-WX-1BR	X	W8	.335"	69gm	46"	4.3	3.0°	Mid-Low	Mid-Low
1GUMX499-WR-1BR	R	W8	.335"	73gm	46"	4.1	3.0°	Mid-Low	Mid-Low
1GUMX499-WS-1BR	S	W8	.335"	76gm	46"	4.1	3.0°	Mid-Low	Mid-Low
1GUMX499-WX-1BR	X	W8	.335"	80gm	46"	4.0	3.0°	Mid-Low	Mid-Low



## TENSEI CK ORANGE (2ND GEN)

- The TENSEI™ CK Pro Orange incorporates the same Carbon Fiber/DuPont™ Kevlar® (CK) weave found in the butt-section of all TENSEI CK shafts – providing enhanced stability and maximum feel in this highly versatile design

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX585-WR-1A	R	W8	.335"	55gm	46"	6.0	3.0°	Mid	Low
1GUMX585-WS-1A	S	W8	.335"	57gm	46"	5.9	3.0°	Mid	Low
1GUMX585-WX-1A	X	W8	.335"	60gm	46"	5.8	3.0°	Mid	Low
1GUMX586-WR-1A	R	W8	.335"	61gm	46"	3.6	3.0°	Low	Low
1GUMX586-WS-1A	S	W8	.335"	64gm	46"	3.5	3.0°	Low	Low
1GUMX586-WX-1A	TX	W8	.335"	67gm	46"	3.4	3.0°	Low	Low
1GUMX587-WR-1A	S	W8	.335"	72gm	46"	2.9	3.0°	Low	Low
1GUMX587-WS-1A	TX	W8	.335"	74gm	46"	2.8	3.0°	Low	Low
1GUMX587-WX-1A	TX	W8	.335"	85gm	46"	2.6	3.0°	Low	Low



## TENSEI CK BLUE (2ND GEN)

- The TENSEI™ CK Blue Series includes more materials than any other shaft we've ever made to date, making it the most playable of our smooth profiles

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX470-WA-1B	A	W8	.335"	53gm	46"	6.4	3.0°	Mid	Mid
1GUMX470-WL-1B	L	W8	.335"	50gm	46"	6.5	3.0°	Mid	Mid
1GUMX470-WR-1B	R	W8	.335"	54gm	46"	5.6	3.0°	Mid	Mid
1GUMX470-WS-1B	S	W8	.335"	57gm	46"	5.5	3.0°	Mid	Mid
1GUMX470-WX-1B	X	W8	.335"	60gm	46"	5.4	3.0°	Mid	Mid
1GUMX471-WR-1B	R	W8	.335"	64gm	46"	4.6	3.0°	Mid	Mid
1GUMX471-WS-1B	S	W8	.335"	67gm	46"	4.5	3.0°	Mid	Mid
1GUMX471-WX-1B	X	W8	.335"	70gm	46"	4.4	3.0°	Mid	Mid
1GUMX472-WR-1B	R	W8	.335"	73gm	46"	4.0	3.0°	Mid	Mid
1GUMX472-WS-1B	S	W8	.335"	76gm	46"	4.0	3.0°	Mid	Mid
1GUMX472-WX-1B	X	W8	.335"	78gm	46"	3.9	3.0°	Mid	Mid





## TENSEI CK RED (2ND GEN)

- The TENSEI™ CK Red shaft modernizes MCA GOLF's higher launching bend profile through the use of a multi-material design, including the Carbon-Kevlar® weave in the butt section

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX640-WR-1A	R	W8	.335"	57gm	46"	6.0	3.0°	High	Mid-High	
1GUMX640-WS-1A	S	W8	.335"	60gm	46"	5.9	3.0°	High	Mid-High	
1GUMX641-WR-1A	R	W8	.335"	63gm	46"	5.1	3.0°	High	Mid-High	
1GUMX641-WS-1A	S	W8	.335"	66gm	46"	5.1	3.0°	High	Mid-High	



## TENSEI AV BLUE

- Aluminum Vapor Coated Fiber in the butt section adds stability, to help achieve the desired EI target and stiffness
- Lighter than previous TENSEI™ CK Series

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX663-WS-1A	S	W8	.335"	67gm	46"	3.9	3.0°	Mid	Low	
1GUMX663-WX-1A	X	W8	.335"	68gm	46"	3.4	3.0°	Mid	Low	
1GUMX664-WS-1A	S	W8	.335"	77gm	46"	3.9	3.0°	Mid	Low	
1GUMX664-WX-1A	X	W8	.335"	78gm	46"	3.4	3.0°	Mid	Low	



## KURO KAGE SILVER DUAL CORE WITH TiNi

- The KURO KAGE™ Silver Dual-Core TiNi Series is Mitsubishi Chemical's latest design innovation featuring a carbon fiber, elastic titanium nickel wire (TiNi) blend in the tip-section
- Low Resin Content (L.R.C.) Prepreg bend profile, and two layers of TiNi Wire in the tip-section (Dual-Core TiNi)

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX549-WR-1A	R	W8	.335"	56gm	46"	5.4	3.0°	Mid	Mid-Low	
1GUMX549-WS-1A	S	W8	.335"	59gm	46"	5.2	3.0°	Mid	Mid-Low	
1GUMX549-WX-1A	X	W8	.335"	60gm	46"	4.6	3.0°	Mid-Low	Mid-Low	
1GUMX550-WR-1A	R	W8	.335"	63gm	46"	4.5	3.0°	Mid	Mid-Low	
1GUMX550-WS-1A	S	W8	.335"	66gm	46"	4.4	3.0°	Mid	Mid-Low	
1GUMX550-WX-1A	X	W8	.335"	68gm	46"	3.4	3.0°	Mid-Low	Mid-Low	
1GUMX551-WS-1A	S	W8	.335"	76gm	46"	4.2	3.0°	Mid-Low	Mid-Low	
1GUMX551-WX-1A	X	W8	.335"	77gm	46"	3.1	3.0°	Mid-Low	Mid-Low	
1GUMX552-WX-1A	X	W8	.335"	86gm	46"	2.7	3.0°	Mid-Low	Mid-Low	

### KURO KAGE HYBRID

- This stable and versatile profile is designed to match the performance characteristics of the high performing and versatile KURO KAGE with an updated cosmetic

HYBRID SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX383-IA-1D	A	IR32	.370"	67gm	42"	4.0	3.0°	Mid	Mid	
1GUMX383-IR-1D	R	IR32	.370"	70gm	42"	3.8	3.0°	Mid	Mid	
1GUMX383-IS-1D	S	IR32	.370"	73gm	42"	3.8	3.0°	Mid	Mid	
1GUMX269-IR-1D	R	IR32	.370"	80gm	42"	3.3	3.0°	Mid	Mid	
1GUMX269-IS-1D	S	IR32	.370"	82gm	42"	3.2	3.0°	Mid	Mid	
1GUMX269-IX-1D	X	IR32	.370"	85gm	42"	3.2	3.0°	Mid-Low	Mid	
1GUMX270-IS-1D	S	IR32	.370"	92gm	42"	2.9	3.0°	Mid-Low	Mid	
1GUMX270-IX-1D	X	IR32	.370"	95gm	42"	2.9	3.0°	Mid-Low	Mid	

### KURO KAGE IRON

- The KURO KAGE™ Iron shafts blend Low Resin Content (L.R.C.) prepreg with a smooth bend profile to provide excellent versatility

IRON SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUMX272-IL-1D	L	IR37	.370"	53gm	42"	5.0	3.0°	Mid	Mid	
1GUMX326-IA-1D	A	IR37	.370"	60gm	42"	5.0	3.0°	Mid	Mid	
1GUMX326-IR-1D	R	IR37	.370"	63gm	42"	4.9	3.0°	Mid	Mid	
1GUMX272-IR-1D	R	IR37	.370"	75gm	42"	3.5	3.0°	Mid	Mid	
1GUMX327-IS-1D	S	IR37	.370"	83gm	42"	3.9	3.0°	Mid	Mid	





## KURO KAGE TiNi IRON

- The next generation KURO KAGE™ TiNi Irons incorporate Titanium Nickel (TiNi) Wire to the Low Resin Content (LRC) prepreg and a smooth overall bend profile with a lower balance point, all in a premium constant weight iron product

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GMX505-1A	A	IR1	.355"	61gm	37"-40"	3.4 - 3.7	3.0"	Mid	Mid
1GMX505-IR	R	IR1	.355"	63gm	37"-40"	3.2 - 3.6	3.0"	Mid	Mid
1GMX506-IR	R	IR1	.355"	81gm	37"-40"	2.9 - 3.1	3.0"	Mid-Low	Mid
1GMX506-IS	S	IR1	.355"	84gm	37"-40"	2.8 - 3.0	3.0"	Mid-Low	Mid



## C6 RED SERIES

- It's not just about flex, it's about optimizing shaft frequency, weight, torque, profile, launch and spin, to help individual players hit it as long, straight and as consistent possible

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX590-WA-1A	A	W8	.335"	46gm	46"	6.3	3.0"	High	Mid
1GUMX591-WA-1A	A	W8	.335"	56gm	46"	5.6	3.0"	High	Mid
1GUMX591-WR-1A	R	W8	.335"	57gm	46"	5.5	3.0"	High	Mid
1GUMX591-WS-1A	S	W8	.335"	59gm	46"	5.4	3.0"	High	Mid
1GUMX526-WR-1A	R	W8	.335"	61gm	46"	4.6	3.0"	High	Mid
1GUMX525-WS-1A	S	W8	.335"	62gm	46"	4.5	3.0"	High	Mid
1GUMX592-WS-1A	S	W8	.335"	68gm	46"	4.3	3.0"	High	Mid



## C6 BLUE SERIES

- It's not just about flex, it's about optimizing shaft frequency, weight, torque, profile, launch and spin, to help individual players hit it as long, straight and as consistent possible

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX533-WR-1A	R	W8	.335"	56gm	46"	5.3	3.0"	Mid	Mid-Low
1GUMX533-WS-1A	S	W8	.335"	57gm	46"	5.3	3.0"	Mid	Mid-Low
1GUMX526-WR-1A	R	W8	.335"	65gm	46"	4.4	3.0"	Mid	Mid-Low
1GUMX526-WS-1A	S	W8	.335"	67gm	46"	4.3	3.0"	Mid	Mid-Low
1GUMX526-WX-1A	X	W8	.335"	69gm	46"	4.2	3.0"	Mid	Mid-Low
1GUMX534-WS-1A	S	W8	.335"	72gm	46"	4.1	3.0"	Mid	Mid-Low
1GUMX534-WX-1A	X	W8	.335"	74gm	46"	4.1	3.0"	Mid	Mid-Low



## C6 BLACK SERIES

- Introducing the C6™ Black Hybrid/Iron Series. We've taken the same design approach used in the C6™ Wood Series - optimizing shaft frequency, weight, torque, profile, launch and spin

HYBRID / IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUMX659-1A-1A	A	IR32 / IR21	.370"	65gm	42"	4.3	3.0"	Mid	Mid
1GUMX659-IR-1A	R	IR32 / IR21	.370"	75gm	42"	4.1	3.0"	Mid	Mid
1GUMX660-IR-1A	S	IR32 / IR21	.370"	81gm	42"	4.0	3.0"	Mid	Mid






## CLAYMORE MX48

- Constructed with the new high-modulus Microtex carbon fiber, the Claymore MX48 is the most stable, ultra-light wood shaft in golf

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATCMMX48-F1	F1	W6	.335"	47gm	46"	5.0	3.5"	High	Mid
1GATCMMX48-F2	F2	W6	.335"	48gm	46"	5.0	3.5"	Mid-High	Mid
1GATCMMX48-F3	F3	W6	.335"	48gm	46"	4.9	3.5"	Mid	Mid
1GATCMMX48-F4	F4	W6	.335"	49gm	46"	4.4	3.5"	Mid	Mid



## STEELFIBER SS 65

- If a player is looking for all the control of a golf steel shaft in their driver and fairway woods but wants to benefit from the lighter weights and vibration dampening properties of graphite then the SteelFiber wood shaft is the right choice

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSW65-F3	F3	W14	.335"	66gm	46"	4.6	3.5"	Mid	Mid
1GATSSW65-F4	F4	W14	.335"	66gm	46"	4.3	3.5"	Mid	Mid



## STEELFIBER SS 75

- Most popular SteelFiber wood shaft of Tour Professionals

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSW75	F4	W23	.335"	75gm	46"	3.8	3.5"	Mid	Mid



## STEELFIBER i70 CW

- The lightest SteelFiber shaft in our lineup is a great shaft for those slower swing speed players looking to raise ball flight and gain as much yardage as possible
- This iron golf shaft is offered in a wide range of flexes and can hold up to even the most demanding swings

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSI70TA-_-_-	A	IR1	.355"	70gm	36.5-40"	3.5-2.9	5.5"	Mid-High	Mid-High
1GATSSI70TR-_-_-	R	IR1	.355"	70gm	36.5-40"	3.4-2.8	5.5"	Mid-High	Mid-High
1GATSSI70TS-_-_-	S	IR1	.355"	70gm	36.5-40"	2.8-3.4	5.5"	Mid-High	Mid-High
1GUATSSI70L-41	L	IR21	.370"	74gm	41"	3.5	Taper	High	Mid-High
1GUATSSI70A-41	A	IR21	.370"	74gm	41"	3.5	Taper	Mid-High	Mid-High
1GUATSSI70R-41	R	IR21	.370"	74gm	41"	3.3	Taper	Mid-High	Mid-High
1GUATSSI70S-41	S	IR21	.370"	74gm	41"	3.0	Taper	Mid-High	Mid-High





## STEELFIBER i80 CW

- The SteelFiber i80 gives a player all of the benefits of a 100% golf graphite shaft but with unprecedented control and consistency for a shaft in this weight category
- Whether a player is looking to get back the valuable yardage they lost over the years or has been playing a 100% graphite shaft that is too light and lost their accuracy the SteelFiber i80 can really do it all

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSi80TR-___	R	IR1	.355"	85gm	36.5-40"	2.9-2.5	3.0"	Mid	Mid
1GATSSi80TS-___	S	IR1	.355"	85gm	36.5-40"	2.9-2.5	3.0"	Mid	Mid
1GUATSSi80L-41	L	IR21	.370"	85gm	41"	3.1	3.0"	Mid	Mid
1GUATSSi80A-41	A	IR21	.370"	85gm	41"	3.0	3.0"	Mid	Mid
1GUATSSi80R-41	R	IR21	.370"	85gm	41"	2.9	3.0"	Mid	Mid
1GUATSSi80S-41	S	IR21	.370"	85gm	41"	2.8	3.0"	Mid	Mid
1GUATSSi80X-41	X	IR21	.370"	85gm	41"	2.3	3.0"	Mid	Mid



## STEELFIBER i95 CW

- SteelFiber i95 is the perfect transition into a lighter weight shaft which allows a player to see some good improvement in distance and vibration reduction while maintaining pinpoint accuracy and incredibly consistent distance control

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSi95TR-___	R	IR1	.355"	95gm	36.5-40"	2.5-2.1	3.0"	Mid	Mid
1GATSSi95TS-___	S	IR1	.355"	95gm	36.5-40"	2.4-2.0	3.0"	Mid-Low	Mid
1GATSSi95TX-___	X	IR1	.355"	95gm	36.5-40"	2.3-1.8	3.0"	Mid-Low	Mid
1GUATSSi95R-41	R	IR21	.370"	95gm	41"	2.5	3.0"	Mid	Mid
1GUATSSi95S-41	S	IR21	.370"	95gm	41"	2.4	3.0"	Mid-Low	Mid
1GUATSSi95X-41	X	IR21	.370"	95gm	41"	2.2	3.0"	Mid-Low	Mid



## STEELFIBER i110 CW

- Players that are sensitive to weight reduction in their irons golf shafts choose the "Tour Winning" SteelFiber i110 so they can take advantage of the accuracy, consistency and vibration dampening of the SteelFiber shaft while maintaining a similar ball flight to a much heavier steel shaft

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATSSi110TR-___	R	IR1	.355"	110gm	36.5-40"	2.1-1.7	3.0"	Mid	Mid
1GATSSi110TS-___	S	IR1	.355"	110gm	36.5-40"	1.9-1.5	3.0"	Mid-Low	Mid
1GATSSi110TX-___	X	IR1	.355"	110gm	36.5-40"	1.9-1.5	3.0"	Mid-Low	Mid
1GUATSSi110R-41	R	IR21	.370"	110gm	41"	2.1	3.0"	Mid	Mid
1GUATSSi110S-41	S	IR21	.370"	110gm	41"	1.9	3.0"	Mid-Low	Mid
1GUATSSi110X-41	X	IR21	.370"	110gm	41"	1.9	3.0"	Mid-Low	Mid





## STEELFIBER HFS FAIRWAY WOOD

- The SteelFiber HFS780 is one of the most versatile golf shafts in the SteelFiber lineup
- With a .335-inch tip diameter, the HFS780 can be used in fairway woods and hybrid clubs, and features the same innovative design

### FAIRWAY WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATHFS780-F2	F2	W19	.335"	68gm	44"	3.8	3.0"	Mid	Mid
1GUATHFS780-F3	F3	W19	.335"	71gm	44"	3.7	3.0"	Mid	Mid
1GUATHFS780-F4	F4	W19	.335"	72gm	44"	3.6	3.0"	Mid	Mid



## STEELFIBER HLS HYBRID

- SteelFiber golf hybrid shafts provide the accuracy of a golf steel shaft while also delivering the launch angles and spin rates needed for a hybrid club to perform as it was intended

### HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATHLS780-F2	F2	IR20	.370"	75gm	42"	3.2	3.0"	Mid	Mid
1GUATHLS780-F3	F3	IR20	.370"	75gm	42"	3.2	3.0"	Mid	Mid
1GUATHLS780-F4	F4	IR20	.370"	75gm	42"	3.2	3.0"	Mid	Mid



## STEELFIBER FC

- The SteelFiber FC 'Flight Control' graphite iron shafts combine the advanced composite technology of SteelFiber with variable tip stiffness for players who need higher trajectories

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATASI75AL-42	F2	IR19	.370"	74gm	42"	3.5	3.0"	Progressive	Mid
1GUATASI85R-42	F3	IR19	.370"	84gm	42"	2.9	3.0"	Progressive	Mid
1GUATASI95S-42	F4	IR19	.370"	95gm	42"	2.9	3.0"	Progressive	Mid



## STEELFIBER FC CW

- The SteelFiber FC 'Flight Control' graphite iron shafts combine the advanced composite technology of SteelFiber with variable tip stiffness for players who need higher trajectories

### IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATASI90R-***	F3	IR1	.355"	90gm	40 - 36.5"	3.1	3.0"	Progressive	Mid
1GATASI90S-***	F4	IR1	.355"	90gm	40 - 36.5"	2.9	3.0"	Progressive	Mid





EXCLUSIVE

NEW  
2020

## STEELFIBER J-SPEC

- Whether a player is looking to get back the valuable yardage they lost over the years or has been playing a 100% graphite shaft that is too light and lost their accuracy the J-Spec can really do it all

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATJ68A-41	A	IR21	.370"	65gm	41"	3.4	5.5"	High	Mid
1GUATJ68R-41	R	IR21	.370"	75gm	41"	2.9	5.5"	Mid-High	Mid
1GUATJ78R-41	S	IR21	.370"	76gm	41"	2.8	5.5"	Mid	Mid
1GUATJ78S-41	R	IR21	.370"	84gm	41"	2.5	5.5"	Mid	Mid
1GUATJ88R-41	S	IR21	.370"	85gm	41"	2.3	5.5"	Mid-Low	Mid
1GUATJ88S-41	R	IR21	.370"	97gm	41"	2.0	5.5"	Mid-Low	Mid
1GUATJ108S-41	S	IR21	.370"	98gm	41"	1.8	5.5"	Low	Mid



EXCLUSIVE

NEW  
2020

## STEELFIBER BLACK LABEL

- The limited edition SteelFiber Black Label graphite iron shafts deliver extreme precision with a bold, new look!
- SteelFiber Black Label shafts feature the world-renown, tour-winning SteelFiber design and are engineered to the industry's most extreme weight tolerances for ultimate custom fitting and performance.

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GATBLI85R-41	R	IR21	.370"	85gm	41"	2.9	5.5"	Mid	Mid
1GATBLI95S-41	S	IR21	.370"	85gm	41"	2.4	5.5"	Mid-Low	Mid
1GATBLI110S-41	S	IR21	.370"	110gm	41"	1.9	5.5"	Mid-Low	Mid

NEW  
2020

## GENER8

- Gener8 graphite iron shafts are specifically designed for golfers looking for a high-performance graphite shaft that produces longer, higher and consistent ball flights

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUATGI62L-41	L	IR37	.370"	54gm	41"	5.3	6.0	High	Mid-High
1GUATGI64A-41	A	IR37	.370"	56gm	41"	5.0	6.0	High	Mid-High
1GUATGI66R-41	R	IR37	.370"	58gm	41"	4.9	6.0	High	Mid-High
1GUATGI68S-41	S	IR37	.370"	60gm	41"	4.8	6.0	High-Mid	Mid





## PROFORCE V2

- PROFORCE V2 woods are for the player seeking a penetrating ball flight
- Long parallel butt design provides greater control in the hands of the golfer for both aggressive and smooth tempo golfers and a stiffer tip provides golfers more spin control at impact

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS17796	5F2	W6	.335"	56gm	46"	3.7	4.0"	Mid	Mid	
1GUS17797	5F3	W6	.335"	57gm	46"	3.7	4.0"	Mid	Mid	
1GUS17798	5F4	W6	.335"	57gm	46"	3.7	4.0"	Mid	Mid	
1GUS17799	6F3	W6	.335"	65gm	46"	3.0	4.0"	Mid	Mid	
1GUS17800	6F4	W6	.335"	66gm	46"	3.0	4.0"	Mid	Mid	
1GUS17801	6F5	W6	.335"	66gm	46"	2.9	4.0"	Mid	Mid	
1GUS17802	7F4	W6	.335"	75gm	46"	2.2	4.0"	Mid	Mid	
1GUS17803	7F5	W6	.335"	76gm	46"	2.2	4.0"	Mid	Mid	
1GUS17804	8F4	W6	.335"	86gm	46"	1.8	4.0"	Mid-Low	Mid	
1GUS17805	8F5	W6	.335"	86gm	46"	1.8	4.0"	Mid-Low	Mid	
1GUS17806	9F4	W6	.335"	96gm	46"	1.7	4.0"	Mid-Low	Mid	
1GUS17807	9F5	W6	.335"	96gm	46"	1.6	4.0"	Mid-Low	Mid	



EXCLUSIVE



## PROFORCE V2 TOUR

- PROFORCE V2 TOUR shafts are designed with high modulus carbon fiber and lower resin content with incredible stability for aggressive golfers seeking a flatter, more penetrating ball flight

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS17977	6F4	W3	.335"	63gm	46"	3.7	3.0"	Mid	Mid-Low	
1GUS17978	6F5	W3	.335"	64gm	46"	3.3	3.0"	Mid	Mid-Low	
1GUS17979	7F4	W3	.335"	74gm	46"	3.5	3.0"	Mid	Mid-Low	
1GUS17980	7F5	W3	.335"	74gm	46"	3.0	3.0"	Mid	Mid-Low	



## PROFORCE V2 HL

- PROFORCE V2 HL woods are for the player seeking a higher trajectory for longer carry

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS17808	5F1	W6	.335"	51gm	46"	5.1	4.0"	High	Mid	
1GUS17809	5F2	W6	.335"	51gm	46"	4.5	4.0"	High	Mid	
1GUS17810	5F3	W6	.335"	52gm	46"	4.2	4.0"	High	Mid	
1GUS17811	5F4	W6	.335"	52gm	46"	4.2	4.0"	High	Mid	



## PROFORCE V2 HYBRID

- PROFORCE V2 Hybrid is for the player seeking a penetrating ball flight

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS17817	F2	IR25	.370"	79gm	41"	3.2	3.5"	Mid-High	Mid	
1GUS17818	F3	IR25	.370"	84gm	41"	3.2	3.5"	Mid-High	Mid	
1GUS17819	F4	IR25	.370"	86gm	41"	3.2	3.5"	Mid-High	Mid	
1GUS17820	F5	IR25	.370"	90gm	41"	3.2	3.5"	Mid-High	Mid	



NEW  
2020

EXCLUSIVE



## ATTAS 11

- A revolutionary combination of innovative shaft design and advanced carbon fiber materials
- Designed for a higher launch, high performance shaft offering optimum flex and torque characteristics

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS19138	R	W3	.335"	63gm	46"	3.8	3.0°	Mid-High	Mid	
1GUS19140	S	W3	.335"	66gm	46"	3.8	3.0°	Mid-High	Mid	
1GUS19141	X	W3	.335"	69gm	46"	3.8	3.0°	Mid-High	Mid	
1GUS19143	S	W3	.335"	75gm	46"	3.3	3.0°	Mid-High	Mid	
1GUS19144	X	W3	.335"	77gm	46"	3.2	3.0°	Mid-High	Mid	



EXCLUSIVE



## THE ATTAS

- The ATTAS uses high modulus carbon fiber and lower resin content to give golfers incredible stability in their hands while providing a smooth feel in a lighter package

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS18245	6F4	W3	.335"	63gm	46"	3.6	3.0°	High	Mid	
1GUS18246	6F5	W3	.335"	66gm	46"	3.5	3.0°	High	Mid	
1GUS18248	7F4	W3	.335"	74gm	46"	3.0	3.0°	Mid-High	Mid	
1GUS18249	7F5	W3	.335"	76gm	46"	2.9	3.0°	Mid-High	Mid	

NEW  
2020

## LIN-Q PURPLE

- LIN-Q Purple is designed for the golfer seeking a medium ball flight with medium spin

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS19490	R	W6	.335"	67gm	46"	5.0	3.0°	Mid	Mid	
1GUS19491	S	W6	.335"	67gm	46"	4.8	3.0°	Mid	Mid	
1GUS19492	X	W6	.335"	68gm	46"	3.8	3.0°	Mid	Mid	
1GUS19493	S	W6	.335"	76gm	46"	4.1	3.0°	Mid	Mid	
1GUS19494	X	W6	.335"	78gm	46"	3.3	3.0°	Mid	Mid	

NEW  
2020

## LIN-Q GUNMETAL

- LIN-Q Gunmetal is designed for the aggressive golfer

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS19496	S	W6	.335"	70gm	46"	3.2	3.0°	Mid-Low	Mid-Low	
1GUS19497	X	W6	.335"	70gm	46"	3.2	3.0°	Mid-Low	Mid-Low	
1GUS19498	S	W6	.335"	78gm	46"	3.1	3.0°	Low	Mid-Low	
1GUS19499	X	W6	.335"	78gm	46"	3.1	3.0°	Low	Mid-Low	

NEW  
2020

EXCLUSIVE



## LIN-Q TSPX

- LIN-Q TSPX is designed for the aggressive golfer and PFC exclusive

WOOD SHAFTS										
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN	
1GUS19650	S	W6	.335"	66gm	46"	3.6	3.0°	Low	Mid-Low	
1GUS19651	X	W6	.335"	67gm	46"	3.5	3.0°	Low	Mid-Low	
1GUS19652	S	W6	.335"	76gm	46"	3.6	3.0°	Low	Mid-Low	
1GUS19653	X	W6	.335"	77gm	46"	3.6	3.0°	Low	Mid-Low	





## GOLD 65

- 65 Gold wood graphite shafts are for the stronger player who needs a heavier weight model and a med-high ball flight for ultimate distance

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS14120	A	W3	.335"	59gm	46"	4.0	4.0"	Mid-High	Mid
1GUS14121	R	W3	.335"	62gm	46"	3.9	4.0"	Mid-High	Mid
1GUS14122	S	W3	.335"	62gm	46"	3.9	4.0"	Mid-High	Mid



## RECOIL 110

- Recoil 110 iron shafts are for the player seeking control and a medium ball flight
- Efficient Energy Transfer (67% more efficient than steel)

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS1372*	F4	IR1	.355"	105-111gm	41" - 37"	3.8-2.6	Taper	Mid	Mid
1GUS1373*	F5	IR1	.355"	107-111gm	41" - 37"	3.6-2.5	Taper	Mid	Mid



## RECOIL 95

- Recoil 95 iron shafts are for the player seeking control and a medium ball flight

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS1375*	F3	IR1	.355"	90-96gm	41" - 37"	4.1 - 2.7	Taper	Mid	Mid
1GUS1376*	F4	IR1	.355"	90-97gm	41" - 37"	4.1 - 2.8	Taper	Mid	Mid



## RECOIL PROTOTYPE 95

- Recoil Prototype 95 iron shafts are for the player seeking a lower torque and medium ball flight

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS132**	F3	IR1	.355"	90-97gm	41" - 37"	3.1 - 2.2	Taper	Mid	Mid
1GUS132**	F4	IR1	.355"	90-97gm	41" - 37"	3.1 - 2.2	Taper	Mid	Mid



## RECOIL 780

- Recoil 780 ES iron shafts are for the player seeking enhanced stability and control in a heavier weight option

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS15703	F3	IR6	.370"	82gm	41"	3.7	5.5"	Mid	Mid
1GUS15704	F4	IR6	.370"	86gm	41"	3.5	5.5"	Mid	Mid





## RECOIL ES 760/780 SMACWRAP

- Recoil 760/780 ES SmacWrap iron shafts are designed to provide maximum control and distance for all golfers

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS17756	A	IR6	.370"	67gm	41"	4.1	5.5"	Mid-High	Mid
1GUS17757	R	IR6	.370"	69gm	41"	4.1	5.5"	Mid-High	Mid
1GUS17759	S	IR6	.370"	86gm	41"	3.5	5.5"	Mid-High	Mid



## RECOIL 760

- Recoil 760 ES iron shafts are for the player seeking enhanced stability and control in a lightweight option

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS15822	F3	IR6	.370"	68gm	41"	4.2	5.5"	Mid-High	Mid



## RECOIL 680

- Recoil 660 and 680 are designed to provide maximum control and distance for all golfers through the latest in design and materials

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS17712TT-***	F4	IR1	.355"	82gm	41" - 37"	3.8	Taper	Mid-High	Mid
1GUS17712	F4	IR6	.370"	82gm	41" - 37"	4.8	5.5"	Mid-High	Mid



## RECOIL 660

- Recoil 660 and 680 are designed to provide maximum control and distance for all golfers through the latest in design and materials

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS17708TT-***	F2	IR1	.355"	68gm	41" - 37"	4.3	Taper	Mid-High	Mid
1GUS17708	F2	IR6	.370"	68gm	41"	4.3	5.5"	Mid-High	Mid
1GUS17709TT-***	F3	IR1	.355"	71gm	41" - 37"	4.3	Taper	Mid-High	Mid
1GUS17709	F3	IR6	.370"	71gm	41"	4.3	5.5"	Mid-High	Mid



## RECOIL 460 + 450

- Recoil 460 ES iron shafts are a lightweight design to help provide maximum control and distance for all golfers

RECOIL 460 - IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS16754TT-***	F2	IR1	.355"	63gm	41" - 37"	4.8	Taper	High	Mid
1GUS16754	F2	IR6	.370"	63gm	41"	4.8	5.5"	High	Mid

- Recoil 450 ES iron shafts are a lightweight design to help provide maximum control and distance for all golfers

RECOIL 450 - IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS16753TT-***	F1	IR1	.355"	51gm	41" - 37"	4.0	Taper	High	Mid
1GUS16753	F2	IR6	.370"	51gm	41"	4.0	5.5"	High	Mid





## DHI SERIES DRIVER

- The DHI Series is known as one of the best values in golf designed to maximize distance in your woods, hybrids and irons

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS13857	L	W6	.335"	60gm	46"	5.8	3.5"	High	Mid
1GUS13856	A	W6	.335"	63gm	46"	5.9	3.5"	High	Mid
1GUS13858	R	W6	.335"	67gm	46"	6.2	3.5"	Mid-High	Mid
1GUS13859	S	W6	.335"	70gm	46"	6.1	3.5"	Mid-High	Mid



## DHI SERIES HYBRID

- The DHI Series is known as one of the best values in golf designed to maximize distance in your woods, hybrids and irons

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS14876	L	IR31	.370"	54gm	39"	4.4	4.5"	High	Mid
1GUS13889	A	IR25	.370"	67gm	41"	4.4	5.5"	High	Mid
1GUS13892	R	IR25	.370"	70gm	41"	4.3	5.5"	Mid-High	Mid
1GUS13894	S	IR25	.370"	73gm	41"	4.2	5.5"	Mid-High	Mid



## DHI SERIES IRON

- The DHI Series is known as one of the best values in golf designed to maximize distance in your woods, hybrids and irons

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS14875	L	IR16	.370"	57gm	39"	4.9	4.5"	High	Mid
1GUS13886	A	IR6	.370"	66gm	41"	4.2	5.5"	High	Mid
1GUS13887	R	IR6	.370"	68gm	41"	4.2	5.5"	Mid-High	Mid
1GUS13888	S	IR6	.370"	71gm	41"	4.2	5.5"	Mid-High	Mid



## FREQUENCY FILTERED PUTTER SHAFT

- Steel tip-section makes this shaft a perfect fit for the hottest putter heads on the market

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GUS13474	P	IR1	.370"	106gm	35.75"	—	—	—	—





## TOUR AD DI BLACK

- The Tour AD DI was the first shaft design that was integrated with Toray Company's original NANOALLOY material technology in the tip section of the shaft

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADDI6BK-S	S	W2	.335"	65gm	46"	3.3	3.0°	High	Low
1GADDI6BK-X	X	W2	.335"	65gm	46"	3.3	3.0°	High	Low
1GADDI7BK-S	S	W2	.335"	75gm	46"	3.1	3.0°	High	Low
1GADDI7BK-X	X	W2	.335"	75gm	46"	3.1	3.0°	High	Low



## TOUR AD DI ORANGE

- The Tour AD DI was the first shaft design that was integrated with Toray Company's original NANOALLOY material technology in the tip section of the shaft

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADDI6-S	S	W2	.335"	65gm	46"	3.3	3.0°	High	Low
1GADDI6-X	X	W2	.335"	65gm	46"	3.3	3.0°	High	Low
1GADDI7-S	S	W2	.335"	75gm	46"	3.1	3.0°	High	Low
1GADDI7-X	X	W2	.335"	75gm	46"	3.1	3.0°	High	Low

## TOUR AD DI HYBRID

- The Tour AD DI Hybrid is designed with the same performance characteristics as the Tour AD DI Wood shafts for a mid/high trajectory with mid spin and pin point accuracy

HYBRID SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADDIHB85-R	R	IR27	.370"	87gm	42"	2.4	3.0°	Mid	Mid
1GADDIHB85-S	S	IR27	.370"	88gm	42"	2.4	3.0°	Mid	Mid
1GADDIHB95-S	S	IR27	.370"	98gm	42"	2.4	3.0°	Mid	Mid
1GADDIHB95-X	X	IR27	.370"	99gm	42"	2.4	3.0°	Mid	Mid
1GADDIHB105-X	X	IR27	.370"	109gm	42"	2.3	3.0°	Mid	Mid



## TOUR AD IZ

- The new Tour AD IZ shaft has a firm stiffness starting at the handle, and medium center section and a firm+ tip profile to promote a high launch angle and low ball spin rates

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADIZ5-R	R	W2	.335"	54gm	46"	4.5	3.0°	High	Low
1GADIZ5-S	S	W2	.335"	56gm	46"	4.4	3.0°	High	Low
1GADIZ6-S	S	W2	.335"	63gm	46"	3.2	3.0°	High	Low
1GADIZ6-X	X	W2	.335"	65gm	46"	3.2	3.0°	High	Low
1GADIZ7-S	S	W2	.335"	72gm	46"	3.1	3.0°	High	Low
1GADIZ7-X	X	W2	.335"	74gm	46"	3.1	3.0°	High	Low
HYBRID SHAFTS									
1GADIZHY65-R2	R2	IR27	.370"	65gm	42"	3.5	3.0°	Mid-High	Mid
1GADIZHY75-R	R	IR27	.370"	76gm	42"	3.1	3.0°	Mid-High	Mid
1GADIZHY75-S	S	IR27	.370"	78gm	42"	3.1	3.0°	Mid	Mid
1GADIZHY85-R	R	IR27	.370"	84gm	42"	2.4	3.0°	Mid	Low
1GADIZHY85-S	S	IR27	.370"	86gm	42"	2.4	3.0°	Mid-Low	Low
1GADIZHY85-X	X	IR27	.370"	88gm	42"	2.4	3.0°	Mid-Low	Low
1GADIZHY95-X	X	IR27	.370"	97gm	42"	2.1	3.0°	Mid-Low	Low





## TOUR AD GP

- The Tour AD is designed with a very stiff tip and stiffer mid to butt section to promote a mid-launch condition and low spin

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADGP6-S	S	W2	.335"	67gm	46"	3.1	3.0"	Mid	Low
1GADGP6-X	X	W2	.335"	67gm	46"	3.1	3.0"	Mid	Low
1GADGP7-S	S	W2	.335"	76gm	46"	2.9	3.0"	Mid	Low
1GADGP7-X	X	W2	.335"	76gm	46"	2.9	3.0"	Mid	Low



NEW 2020



## TOUR AD XC

- The Tour AD XC shaft profile is softer in the butt section, stiff in the middle section and has a stiff tip to promote low/mid launch and low spin

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADXC5-S	S	W2	.335"	58gm	46"	4.3	3.0"	Mid-Low	Low
1GADXC6-S	S	W2	.335"	63gm	46"	3.2	3.0"	Mid-Low	Low
1GADXC6-X	X	W2	.335"	65gm	46"	3.2	3.0"	Mid-Low	Low
1GADXC7-S	S	W2	.335"	74gm	46"	3.0	3.0"	Mid-Low	Low
1GADXC7-X	X	W2	.335"	77gm	46"	3.0	3.0"	Mid-Low	Low



## TOUR AD BB

- The Tour AD BB "Blue Bullet" wood shaft model is designed to promote a low/mid launch angle and lower ball spin

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GADBB6-S	S	W2	.335"	65gm	46"	3.2	3.0"	Low-Mid	Low
1GADBB6-X	X	W2	.335"	65gm	46"	3.2	3.0"	Low-Mid	Low
1GADBB7-S	S	W2	.335"	75gm	46"	3.0	3.0"	Low-Mid	Low
1GADBB7-X	X	W2	.335"	76gm	46"	3.0	3.0"	Low-Mid	Low



## MAD STANDARD SERIES

- The new Graphite Design MAD Standard strength wood shafts were designed for the intermediate to advanced players

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GMAD4C-A	A	W2	.335"	49gm	46"	6.4	3.0"	Mid-High	Mid
1GMAD5C-R	R	W2	.335"	59gm	46"	4.7	3.0"	Mid-High	Mid
1GMAD5C-S	S	W2	.335"	59gm	46"	4.6	3.0"	Mid-High	Mid
1GMAD6C-R	R	W2	.335"	66gm	46"	4.4	3.0"	Mid-High	Mid
1GMAD6C-S	S	W2	.335"	68gm	46"	4.4	3.0"	Mid	Mid
1GMAD7C-S	S	W2	.335"	75gm	46"	3.8	3.0"	Mid	Mid



NEW 2020



## G-TECH

- The Graphite Design G-Tech graphite wood shaft has all the performance characteristics that today's golfer desires

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GTECH2DR-LA	A/L	W4/W16	.335"	68gm	47"	5.0	5.0"	High	Mid
1GTECH2DR-RS	R/S	W4/W16	.335"	72gm	47"	5.0	5.0"	Mid	Mid
IRON SHAFTS									
1GTECH2IR-LA	A/L	IR20/IR29	.370"	75gm	41"	3.0	6.0"	High	Mid
1GTECH2IR-RS	R/S	IR20/IR29	.370"	80gm	41"	3.0	6.0"	Mid	Mid





EXCLUSIVE

NEW  
2020

## FX 2.0 100 SERIES

- The FX 2.0 Series offers an unsurpassed array of fitting options, combining unique profiles, weights, flexes and performance characteristics carrying on a tradition of delivering club fitters all of the tools to fit any golfer

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GACFX150-M3	R	W6	.335"	56gm	46"	4.6	3.0"	High	Mid
1GACFX160-M3	R	W6	.335"	65gm	46"	4.3	3.0"	High	Mid
1GACFX160-M4	S	W6	.335"	68gm	46"	4.3	3.0"	High	Mid



EXCLUSIVE

NEW  
2020

## FX 2.0 200 SERIES

- ACCRA is synonymous with professional fitting, as only the world's best club fitters are chosen to be certified dealers

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GACFX250-M3	R	W6	.335"	55gm	46"	5.0	3.0"	Mid	Mid
1GACFX250-M4	S	W6	.335"	58gm	46"	5.0	3.0"	Mid	Mid
1GACFX260-M3	R	W6	.335"	64gm	46"	3.6	3.0"	Mid	Mid
1GACFX260-M4	S	W6	.335"	68gm	46"	3.6	3.0"	Mid	Mid
1GACFX260-M5	X	W6	.335"	70gm	46"	3.5	3.0"	Mid	Mid
1GACFX270-M4	S	W6	.335"	74gm	46"	3.6	3.0"	Mid	Mid



EXCLUSIVE

NEW  
2020

## TZ5

- ACCRA is synonymous with professional fitting, as only the world's best club fitters are chosen to be certified dealers

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GACTZ555-M3	R	W6	.335"	60gm	46"	3.9	4.0"	Low	Low
1GACTZ555-M4	S	W6	.335"	60gm	46"	4.1	4.0"	Low	Low
1GACTZ565-M4	S	W6	.335"	69gm	46"	3.6	4.0"	Low	Low
1GACTZ565-M5	X	W6	.335"	69gm	46"	3.6	4.0"	Low	Low
1GACTZ575-M5	X	W6	.335"	78gm	46"	3.2	4.0"	Low	Low



EXCLUSIVE

NEW  
2020

## TZ6

- "ACCRA is synonymous with professional fitting, as only the world's best club fitters are chosen to be certified dealers

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	PARALLEL	LAUNCH	SPIN
1GACTZ655-M3	R	W6	.335"	62gm	46"	2.7	4.0"	Mid-High	Mid
1GACTZ655-M4	S	W6	.335"	62gm	46"	2.7	4.0"	Mid-High	Mid
1GACTZ665CB-M4	S	W6	.335"	65gm	46"	3.0	4.0"	Mid-High	Mid
1GACTZ665-M4	S	W6	.335"	69gm	46"	2.4	4.0"	Mid-High	Mid
1GACTZ665-M5	X	W6	.335"	72gm	46"	2.4	4.0"	Mid-High	Mid
1GACTZ675CB-M5	X	W6	.335"	75gm	46"	2.0	4.0"	Mid-High	Mid
1GACTZ675-M4	S	W6	.335"	80gm	46"	2.1	4.0"	Mid-High	Mid
1GACTZ675-M5	X	W6	.335"	80gm	46"	2.1	4.0"	Mid-High	Mid





EXCLUSIVE

PROJECT X

## EVENFLOW RIPTIDE SB

- Building off the success of the original EvenFlow, EvenFlow Riptide is designed with improved stability that builds on the widely successful "even bend" profile to provide unmatched feel and maximum energy transfer

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUEFRT5W55-46-SB	5.5	W2	.335"	53gm	46"	5.4	Mid	Mid	
1GUEFRT5W60-46-SB	6.0	W2	.335"	53gm	46"	5.4	Mid	Mid	
1GUEFRT6W60-46-SB	6.0	W2	.335"	63gm	46"	4.4	Mid	Mid	
1GUEFRT6W65-46-SB	6.5	W2	.335"	64gm	46"	4.4	Mid	Mid	
1GUEFRT6W65TX-46-SB	6.5TX	W2	.335"	67gm	46"	4.4	Mid	Mid	



EXCLUSIVE

PROJECT X

## EVENFLOW RIPTIDE CB

- EvenFlow Riptide CB brings a counter-balanced design to the Riptide family. With similar playing characteristics to the non counter-balanced Riptide, Riptide CB is designed with improved stability that builds on the widely successful "even bend" profile to provide unmatched feel and maximum energy transfer

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUEFRTCB4W50-46-SB	5.0	W2	.335"	45g	46"	5.0	Mid	Mid	
1GUEFRTCB5W50-46-SB	5.0	W2	.335"	52g	46"	4.9	Mid	Mid	
1GUEFRTCB5W55-46-SB	5.5	W2	.335"	54g	46"	4.9	Mid	Mid	
1GUEFRTCB5W60-46-SB	6.0	W2	.335"	55g	46"	4.9	Mid	Mid	
1GUEFRTCB6W55-46-SB	5.5	W2	.335"	62g	46"	4	Mid	Mid	
1GUEFRTCB6W60-46-SB	6.0	W2	.335"	62g	46"	3.9	Mid	Mid	
1GUEFRTCB6W65-46-SB	6.5	W2	.335"	62g	46"	3.8	Mid	Mid	



EXCLUSIVE

PROJECT X

## EVENFLOW BLACK HANDCRAFTED

- EvenFlow's revolutionary "even" bend profile transfers shaft load more efficiently throughout the swing to create maximum energy release at impact
- The result is a powerful flow of energy that feels smooth while delivering gnarly distance

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUEFBLACK633W55-46-HC	5.5	W2	.335"	65gm	46"	4.4	Low	Low	
1GUEFBLACK633W60-46-HC	6.0	W2	.335"	67gm	46"	3.7	Low	Low	
1GUEFBLACK633W65-46-HC	6.5	W2	.335"	69gm	46"	3.2	Low	Low	
1GUEFBLACK733W55-46-HC	5.5	W2	.335"	71gm	46"	4	Low	Low	
1GUEFBLACK733W60-46-HC	6.0	W2	.335"	75gm	46"	3.5	Low	Low	
1GUEFBLACK733W65-46-HC	6.5	W2	.335"	79gm	46"	2.8	Low	Low	
1GUEFBLACK833W60-46-HC	6.0	W2	.335"	85gm	46"	3.2	Low	Low	
1GUEFBLACK833W65-46-HC	6.5	W2	.335"	87gm	46"	2.5	Low	Low	



EXCLUSIVE

PROJECT X

## EVENFLOW T1100 WHITE

- EvenFlow T1100 White uses the strongest high modulus fibers available to create the stiffest tip and lowest launching/spinning profile in the EvenFlow family

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUEFWHT633W60-46	6.0	W2	.335"	67gm	46"	3.0	Low	Low	
1GUEFWHT633W65-46	6.5	W2	.335"	68gm	46"	3.0	Low	Low	
1GUEFWHT733W60-46	6.0	W2	.335"	75gm	46"	3.0	Low	Low	
1GUEFWHT733W65-46	6.5	W2	.335"	76gm	46"	3.0	Low	Low	





## EVENFLOW BLUE HANDCRAFTED

- EvenFlow's revolutionary "even" bend profile transfers shaft load more efficiently throughout the swing to create maximum energy release at impact
- The result is a powerful flow of energy that feels smooth while delivering nearly distance

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUEFBLUE633W55-46	5.5	W2	.335"	65gm	46"	4.6	Mid	Mid
1GUEFBLUE633W60-46	6.0	W2	.335"	67gm	46"	3.7	Mid	Mid
1GUEFBLUE633W65-46	6.5	W2	.335"	69gm	46"	3.2	Mid	Mid
1GUEFBLUE733W55-46	5.5	W2	.335"	75gm	46"	4.3	Mid	Mid
1GUEFBLUE733W60-46	6.0	W2	.335"	75gm	46"	3.5	Mid	Mid
1GUEFBLUE733W65-46	6.5	W2	.335"	75gm	46"	2.8	Mid	Mid

### HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUEFBLUE833H55-42	5.0	IR27	.370"	85gm	42"	3.2	Mid	Mid
1GUEFBLUE833H60-42	6.0	IR27	.370"	85gm	42"	3.2	Mid	Mid
1GUEFBLUE833H65-42	6.5	IR27	.370"	85gm	42"	3.2	Mid	Mid



## HZRDUS SMOKE GREEN - MATTE

- Being the stiffest HZRDUS shaft yet, Smoke Green is designed to reduce spin for the strongest swingers and is the first major shaft introduced using Hexcel's HexTow HM63 fiber.

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZSMKGR6W60-46-SB	6.0	W2	.335"	61gm	46"	3.3	Low	Low
1GUHZSMKGR6W65-46-SB	6.5	W2	.335"	62gm	46"	3.3	Low	Low
1GUHZSMKGR6W65TX-46-SB	6.5TX	W2	.335"	65gm	46"	3.0	Low	Low
1GUHZSMKGR7W60-46-SB	6.0	W2	.335"	70gm	46"	3.2	Low	Low
1GUHZSMKGR7W65-46-SB	6.5	W2	.335"	72gm	46"	3.2	Low	Low
1GUHZSMKGR7W65TX-46-SB	6.5TX	W2	.335"	74gm	46"	3.0	Low	Low



## HZRDUS SMOKE GREEN - PVD

- Being the stiffest HZRDUS shaft yet, Smoke Green is designed to reduce spin for the strongest swingers and is the first major shaft introduced using Hexcel's HexTow HM63 fiber.

### WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZSMKGR6W60-46-SB-PVD	6.0	W2	.335"	61gm	46"	3.3	Low	Low
1GUHZSMKGR6W65-46-SB-PVD	6.5	W2	.335"	62gm	46"	3.3	Low	Low
1GUHZSMKGR6W65TX-46-SB-PVD	6.5TX	W2	.335"	65gm	46"	3.0	Low	Low
1GUHZSMKGR7W60-46-SB-PVD	6.0	W2	.335"	70gm	46"	3.2	Low	Low
1GUHZSMKGR7W65-46-SB-PVD	6.5	W2	.335"	72gm	46"	3.2	Low	Low
1GUHZSMKGR7W65TX-46-SB-PVD	6.5TX	W2	.335"	74gm	46"	3.0	Low	Low





EXCLUSIVE

PROJECT X

## HZRDUS T1100 GREEN

- The new HZRDUS T1100 is the lowest spinning and lowest launching shaft in the HZRDUS family
- HZRDUS T1100 uses T1100G fiber, the strongest fiber available, to build a shaft with an extra stiff tip section that is also counter-balanced

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZRDST1100GR633W55-46-HC	5.5	W2	.335"	65gm	46"	2.5	Low	Low
1GUHZRDST1100GR633W60-46-HC	6.0	W2	.335"	65gm	46"	2.5	Low	Low
1GUHZRDST1100GR633W65-46-HC	6.5	W2	.335"	65gm	46"	2.5	Low	Low
1GUHZRDST1100GR733W60-46-HC	6.0	W2	.335"	75gm	46"	2.8	Low	Low
1GUHZRDST1100GR733W65-46-HC	6.5	W2	.335"	75gm	46"	2.8	Low	Low



EXCLUSIVE

PROJECT X

## HZRDUS BLACK

- HZRDUS Black delivers insane distance for the stronger and more aggressive golfer, without sacrificing control
- Featuring increased stiffness along the full length of the golf shaft that allows golfers to put more power behind the ball, HZRDUS Black is the lowest spinning Project X graphite shaft

## HANDCRAFTED – WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZRDSBL633W55-46-HC	5.5	W2	.335"	62gm	46"	3.2	Low	Low
1GUHZRDSBL633W60-46-HC	6.0	W2	.335"	62gm	46"	3.2	Low	Low
1GUHZRDSBL633W65-46-HC	6.5	W2	.335"	62gm	46"	3.2	Low	Low
1GUHZRDSBL733W55-46-HC	5.5	W2	.335"	75gm	46"	2.9	Low	Low
1GUHZRDSBL733W60-46-HC	6.0	W2	.335"	75gm	46"	2.9	Low	Low
1GUHZRDSBL733W65-46-HC	6.5	W2	.335"	75gm	46"	2.9	Low	Low

## HANDCRAFTED – HYBRID SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZRDSBL85HY55-42-HC	5.5	IR6	.370"	85gm	42"	2.9	High	Low
1GUHZRDSBL85HY60-42-HC	6.0	IR6	.370"	85gm	42"	2.9	High	Low
1GUHZRDSBL85HY65-42-HC	6.5	IR6	.370"	85gm	42"	2.9	High	Low

## NON-HANDCRAFTED – WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZRDSBL633W55-46	5.5	W2	.335"	62gm	46.0"	3.2	Low	Low
1GUHZRDSBL633W60-46	6.0	W2	.335"	62gm	46.0"	3.2	Low	Low
1GUHZRDSBL633W65-46	6.5	W2	.335"	62gm	46.0"	3.2	Low	Low



PROJECT X

## HZRDUS SMOKE

- Featuring a low-spin and low-launch profile that maintains the HZRDUS reputation, Smoke Black is designed for today's aggressive swingers while providing new optimized material placement

## WOOD SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN
1GUHZRDSSMKBL633W55-46	5.5	W2	.335"	59gm	46"	4.0	Low	Low
1GUHZRDSSMKBL633W60-46	6.0	W2	.335"	59gm	46"	3.5	Low	Low
1GUHZRDSSMKBL633W65-46	6.5	W2	.335"	61gm	46"	3.5	Low	Low
1GUHZRDSSMKBL733W60-46	6.0	W2	.335"	68gm	46"	3.5	Low	Low
1GUHZRDSSMKBL733W65-46	6.5	W2	.335"	70gm	46"	3.5	Low	Low





EXCLUSIVE

PROJECT X

## HZRDUS YELLOW

- The new HZRDUS Yellow is a backweighted low spinning shaft featuring a straight tapered midsection
- This profile is perfect for players with a smooth tempo who want to reduce launch and spin rates

HANDCRAFTED – WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUHZRDSYLW633W55-46-YL-HC	5.5	W2	.335"	63gm	46"	3.3	Low	Low	
1GUHZRDSYLW633W60-46-YL-HC	6.0	W2	.335"	63gm	46"	3.3	Low	Low	
1GUHZRDSYLW633W65-46-YL-HC	6.5	W2	.335"	63gm	46"	3.3	Low	Low	
1GUHZRDSYLW733W55-46-YL-HC	5.5	W2	.335"	75gm	46"	2.9	Low	Low	
1GUHZRDSYLW733W60-46-YL-HC	6.0	W2	.335"	75gm	46"	2.9	Low	Low	
1GUHZRDSYLW733W65-46-YL-HC	6.5	W2	.335"	75gm	46"	2.9	Low	Low	
NON-HANDCRAFTED – WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUHZRDSYLW633W55-46-BL	5.5	W2	.335"	62gm	46.0"	3.2	Low	Low	
1GUHZRDSYLW633W60-46-BL	6.0	W2	.335"	62gm	46.0"	3.2	Low	Low	
1GUHZRDSYLW633W65-46-BL	6.5	W2	.335"	62gm	46.0"	3.2	Low	Low	



EXCLUSIVE

PROJECT X

## HZRDUS SMOKE YELLOW SMALL BATCH

- The new HZRDUS Yellow is a backweighted low spinning shaft featuring a straight tapered midsection
- This profile is perfect for players with a smooth tempo who want to reduce launch and spin rates

WOOD SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUHZRDSSMKYW633W60TS-46-SB	6.0	W2	.335"	67gm	46.0"	3.5	Low	Low	
1GUHZRDSSMKYW633W65TX-46-SB	6.5	W2	.335"	69gm	46.0"	3.2	Low	Low	
1GUHZRDSSMKYW733W60TS-46-SB	6.0	W2	.335"	78gm	46.0"	2.9	Low	Low	
1GUHZRDSSMKYW733W65TX-46-SB	6.5	W2	.335"	79gm	46.0"	2.3	Low	Low	



EXCLUSIVE

PROJECT X

## CATALYST

- Catalyst is engineered to replicate steel alloy properties over 100% better than traditional graphite laminates
- This allows for an extremely stable shaft that maximizes constancy and distance control while providing the benefits of a graphite body design

IRON SHAFTS									
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	TORQUE	LAUNCH	SPIN	
1GUCTLSTBLK50I-50-41	5.0	IR25	.370"	63gm	41"	4.5	Mid	Mid	
1GUCTLSTBLK60I-55-41	5.5	IR25	.370"	68gm	41"	4.5	Mid	Mid	
1GUCTLSTBLK80I-60-41	6.0	IR25	.370"	68gm	41"	4.5	Mid	Mid	



NEW  
2020

## PROJECT X STEEL + BLACKOUT

- Project X irons shafts deliver penetrating trajectory and ball flight and strike the perfect balance of unrivaled distance, stability and control for golf's most serious players

IRON SHAFTS								
CODE	FLEX	TIP CODE	BUT DIA	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1S6850TT-_-_-	5.0	IR1	.600"	.355"	110gm	41.5"-37.0"	Low	Low
1S6868TT-_-_-	5.5	IR1	.600"	.355"	115gm	41.5"-37.0"	Low	Low
1S6860TT-_-_-	6.0	IR1	.600"	.355"	120gm	41.5"-37.0"	Low	Low
1S6878TT-_-_-	6.5	IR1	.600"	.355"	125gm	41.5"-37.0"	Low	Low
1S6888TT-_-_-	7.0	IR1	.600"	.355"	130gm	41.5"-37.0"	Low	Low
1SUPX55-41	5.5	IR1	.600"	.370"	115gm	41"	Low	Low
1SUPX60-41	6.0	IR1	.600"	.370"	120gm	41"	Low	Low
1SUPX65-41	6.5	IR1	.600"	.370"	125gm	41"	Low	Low
1SPX55-***-HT-PCB	5.5	IR1	.600"	.370"	115gm	41"	Low	Low
1SPX60-***-HT-PCB	6.0	IR1	.600"	.370"	120gm	41"	Low	Low
1SPX65-***-HT-PCB	6.5	IR1	.600"	.370"	125gm	41"	Low	Low

NEW  
2020

## PROJECT X LZ + BLACKOUT LZ

- Project X LZ steel features proprietary Loading Zone Technology which produces maximum shaft load during the downswing for 7% greater energy transfer to the ball at impact for more distance

IRON SHAFTS								
CODE	FLEX	TIP CODE	BUT DIA	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SPXLZ50-_-_-	5.0	IR1	.600"	.355"	110gm	40.0"-36.5"	Mid	Mid-Low
1SPXLZ55-_-_-	5.5	IR1	.600"	.355"	115gm	40.0"-36.5"	Mid	Mid-Low
1SPXLZ60-_-_-	6.0	IR1	.600"	.355"	120gm	40.0"-36.5"	Mid	Mid-Low
1SPXLZ65-_-_-	6.5	IR1	.600"	.355"	125gm	40.0"-36.5"	Mid	Mid-Low
1SLZ55-***-HT-PCB	5.5	IR1	.600"	.355"	115gm	40.0"-36.5"	Mid	Mid-Low
1SLZ60-***-HT-PCB	6.0	IR1	.600"	.355"	120gm	40.0"-36.5"	Mid	Mid-Low
1SLZ65-***-HT-PCB	6.5	IR1	.600"	.355"	125gm	40.0"-36.5"	Mid	Mid-Low



TRUE TEMPER®

PERFORMANCE FITTING  
CENTRE PROGRAM

Performance Fitting Centres are an elite network of certified professionals, who provide excellence in the golf retail and custom fitting industry world wide.

Performance Fitting Centres represent the #1 Shaft Manufacturer, True Temper and offer custom, precision club fitting just like the pro's experience on tour.

Educated and trained by True Temper's world-renowned engineers, Performance Fitting Centres offer True Temper's full line of catalogue products and other items exclusive to Performance Fitting Centre dealers.

**INTERESTED IN PERFORMANCE FITTING CENTRES?**  
**CALL GOLF IMPORTS ON 03 5277 3977 TO FIND OUT MORE.**





TRUE TEMPER®

## DYNAMIC GOLD

## PARALLEL IRONS

- High-flex, tour weight shaft is designed for players seeking a low, penetrating ball flight for optimum control and accuracy

## TAPERED IRONS

- This high-flex, tour weight shaft is designed for skilled players seeking a low, penetrating ball flight for optimum control and accuracy

## PARALLEL IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SUDGIR300-41	R300	IR2	.370"	127gm	41.0"	Low	Low
1SUDGIS300-41	S300	IR2	.370"	130gm	41.0"	Low	Low
1SUDGIX100-41	X100	IR2	.370"	130gm	41.0"	Low	Low

## TAPERED IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGIRL300-___	R300	IR1	.355"	127gm	41.0"-37.0"	Low	Low
1SDGISL300-___	S300	IR1	.355"	130gm	41.0"-37.0"	Low	Low
1SDGISL400-___	S400	IR1	.355"	130gm	41.0"-37.0"	Low	Low
1SDGIXL100-___	X100	IR1	.355"	130gm	41.0"-37.0"	Low	Low



TRUE TEMPER®

## DYNAMIC GOLD 120

- With the exact same feel as Dynamic Gold in a mid-low launch and spin shaft that is engineered to be easier to swing

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDG120IR-**-HT	R300	IR1	.355"	116gm	41.0-37.0"	Low	Low
1SDG120IS-**-HT	S300	IR1	.355"	118gm	41.0-37.0"	Low	Low
1SDG120IX-**-HT	X100	IR1	.355"	120gm	41.0-37.0"	Low	Low



EXCLUSIVE

TRUE TEMPER®

## DYNAMIC GOLD 105

- By creating a tour-caliber shaft in a premier lightweight design, the new Dynamic Gold 105 provides players with the exact same feel as Dynamic Gold in a mid-low launch and spin shaft that is engineered to be easier to swing

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDG105IR-**-HT	R300	IR1	.355"	101gm	41.0-37.0"	Mid-Low	Mid-Low
1SDG105IS-**-HT	S300	IR1	.355"	103gm	41.0-37.0"	Mid-Low	Mid-Low
1SDG105IX-**-HT	X100	IR1	.355"	105gm	41.0-37.0"	Mid-Low	Mid-Low
1SUDG105IR-405-HT	R300	IR2	.370"	105gm	40.5"	Mid-Low	Mid-Low
1SUDG105IS-405-HT	S300	IR2	.370"	107gm	40.5"	Mid-Low	Mid-Low
1SUDG105IX-405-HT	X100	IR2	.370"	109gm	40.5"	Mid-Low	Mid-Low

## DYNAMIC GOLD 105 ONYX

- Dynamic Gold 105 Onyx is the same Dynamic Gold 105 shaft but with a new powder coat finish that provides a durable matte black cosmetic option to help minimize glare

## IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDG105IR3-***-HT-PCB	R300	IR1	.355"	101gm	41" - 37"	Mid-Low	Mid-Low
1SDG105IS3-***-HT-PCB	S300	IR1	.355"	103gm	41" - 37"	Mid-Low	Mid-Low





EXCLUSIVE

TRUE TEMPER®

## DYNAMIC GOLD TOUR ISSUE

- Tour Issue shafts have a Tour Only weight tolerance of +/- .5 grams for custom precision fitting

## DYNAMIC GOLD TOUR ISSUE ONLYX

- The same tour-winning performance of Dynamic Gold Tour Issue

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGI400TI-**.*	S400	IR1	.335"	130gm	41.0"-37.0"	Low	Low
1SDGI400TI-**.*	X100	IR1	.335"	132gm	41.0"-37.0"	Low	Low

WEDGE SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGI400-37-TI-ONLYX	S400	IR1	.355"	130gm	41.0"-37.0"	Low	Low
1SDGI400-37-TI-ONLYX	X100	IR1	.355"	132gm	41.0"-37.0"	Low	Low



EXCLUSIVE

TRUE TEMPER®

## DYNAMIC GOLD TOUR ISSUE 120

- The new Dynamic Gold 120 Tour Issue shaft delivers the tour-caliber accuracy of Dynamic Gold in a lighter weight steel shaft

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGI120IS4-***-TI	S400	IR1	.355"	118gm	41" - 37"	Low	Low
1SDGI120IX1-***-TI	X100	IR1	.355"	120gm	41" - 37"	Low	Low



EXCLUSIVE

TRUE TEMPER®

## DYNAMIC GOLD X7

- Based on the tour-proven design of Dynamic Gold, the X7 shaft is extremely low-launching and low-spinning

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGIX7-**.*	X7	IR1	.355"	133gm	40.5-37.0"	Low	Low



TRUE TEMPER®

## DYNAMIC GOLD 115 WEDGE

- The Dynamic Gold 115 wedge shaft is a lightweight alternative to the #1 wedge shaft in the history of the game

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDGI115IS-37-HT	S300	IR1	.355"	115gm	37"	Mid-Low	Mid-Low





EXCLUSIVE

TRUE TEMPER®

## DYNAMIC GOLD 95

- Dynamic Gold 95 is True Temper's lightest constant weight offering and it's most flexible steel shaft

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SDG95IR3-*.-HT-VP	R300	IR1	.355"	95gm	38.5"-35.0"	High	High
1SDG95IS2-*.-HT-VP	S200	IR1	.355"	95gm	38.5"-35.0"	High	High



TRUE TEMPER®

## AMT WHITE

- AMT Tour White is a tour-weighted option that features the lowest trajectory and spin in the new AMT range

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SWAMTR-***.-HT	R300	IR1	.355"	102-127gm	41.0-37.0"	Low	Low
1SWAMTS-***.-HT	S300	IR1	.355"	106-130gm	41.0-37.0"	Low	Low
1SWAMTX-***.-HT	X100	IR1	.355"	106-130gm	41.0-37.0"	Low	Low



TRUE TEMPER®

## AMT BLACK

- AMT Black is the middle weight option in the new AMT range and delivers a mid-high trajectory and spin, featuring Ascending Mass Technology

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SAMTS-***.-HT	S300	IR1	.355"	95-116gm	39.5-36.5"	Mid-High	Mid
1SAMTR-***.-HT	R300	IR1	.355"	94-115gm	39.5-36.5"	Mid-High	Mid



TRUE TEMPER®

## AMT RED

- AMT Red is the lightest weight and highest trajectory/spin option in the new AMT range with Ascending Mass Technology—making each shaft progressively heavier by 3-gram increments as golfers move to shorter irons

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SPAMTS-***.-HT	S300	IR1	.355"	94-106gm	39.5-36.5"	High	Mid-High
1SPAMTR-***.-HT	R300	IR1	.355"	94-106gm	39.5-36.5"	High	Mid-High





## ELEVATE 95 VSS

- Elevate 95 focuses on complementing the "low-spin" industry trend by providing an ultra-lightweight high launching/spinning design that gets the ball in the air

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SUEL95R-405-HT-V	R	IR2	.370"	96gm	40.5"	High	Mid
1SUEL95S-405-HT-V	S	IR2	.370"	98gm	40.5"	High	Mid



## XP-95

- Featuring optimized trajectory in a superlight weight design, the XP shafts are engineered to be the longest and most forgiving steel iron shafts in the game today

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SXP95IR-**.*	R	IR1	.355"	93gm	36.5"-40.0"	High	High
1SXP95IS-**.*	S	IR1	.355"	93gm	36.5"-40.0"	High	High
1SUXP95IR-405	R	IR2	.370"	98gm	40.5"	High	High
1SUXP95IS-405	S	IR2	.370"	100gm	40.5"	High	High



## XP-100

- XP 100 is a perfect option for the player seeking the benefits of the XP series but who has a slightly faster swing tempo

IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SUXP100IR-41	R	IR1	.370"	105gm	41"	High	High
1SUXP100IS-41	S	IR1	.370"	107gm	41"	High	High



## MULTI STEP

### WOODS

- Designed with a unique step pattern that promotes a higher launch angle

PARALLEL WOOD SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1STTSUWC	A/L	W7/W13	.335"	125gm	47.0"	Mid-High	Mid
1STTSUWAL	R/S	W7/W13	.335"	127gm	46.0"	Mid-High	Mid

### IRONS

- Extended parallel tip section allows multiple trimming options for a wide variety of golfers

PARALLEL IRON SHAFTS							
CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1STTSUIC	A/L	IR25/IR26	.370"	125gm	42.0"	High	Mid
1STTSUIAL	R/S	IR14/IR25	.370"	119gm	42.0"	High	Mid




**TRUE TEMPER®**

## COMMAND

### IRONS

- Great standard steel stock offering

#### PARALLEL IRON SHAFTS

CODE	FLEX	TIP CODE	TIP DIA	WEIGHT	LENGTH	LAUNCH	SPIN
1SUTIR - M	M	IR2	.370"	124gm	40.0"	Mid	Mid


**TRUE TEMPER®**

## PUTTERS


- True Temper has a range of putter shafts to suit most putters, from straight taper to double bend in standard and ski pole

#### PUTTER SHAFTS

CODE	DESCRIPTION	BUT DIA	TIP DIA	LENGTH
1SUSTP-38	Straight Taper	.600"	.370"	38"
1SUSTPG-38	Straight Taper With Grooves	.600"	.370"	38"
1SBDSTPF-38	Straight Tapered Flared and Hosel	.600"	.370"	38"
1SUSTP-38	Straight Taper	.600"	.355" OD	38"
1SPS501	Straight taper - Blackout	.600"	.370"	35"
1SPS502	Straight taper - Blackout	.600"	.355"	35"
1SUSTP6251B	Single Bend Ski Pole	.625"	.370" OD	53"
1SUSTP6252B	Double Bend Ski Pole	.625"	.370" OD	53"
1SPK2BPR-O	Double Bend putter shaft with offset	.600"	.370"	38"
1SPS503	Double bend with offset - Blackout	.600"	.370"	35"



# NOW AVAILABLE AT GOLF IMPORTS



Golf Imports now offers the following services direct from our **NEW** workshop, fitted with the highest grade equipment and operated by skilled technicians:

- » Shaft preparation
- » Shaft installation
- » Shaft extraction
- » Shaft analysis
- » Putter Lie Loft
- » Club Lie Loft
- » Swing-weighting
- » Frequency Matching


Contact Golf Imports on 03 5277 3977 or email [sales@golfimports.com.au](mailto:sales@golfimports.com.au) for more information.



# IS YOUR BUSINESS RETRO READY?

**Club-Conex has become a global leader in the design and manufacturing of adjustable golf club adapter systems. Utilising this system, with our range of premium grips and shafts, means you can now offer your customers the full club fitting experience.**

**TO FIND OUT MORE CALL  
03 5277 3977**





## SHAFT TRIMMING INSTRUCTIONS

IRON TRIM CODE	1	2	3	4	5	6	7	8	9	W
IR1	Butt trim to length only									
IR2	0"	½"	1"	1½"	2"	2½"	3"	3½"	4"	4½"
IR3	0"	½"	1"	1½"	2"	2½"	3"	3½"	4"	4"
IR4	1"	1½"	2"	2½"	3"	3½"	4"	4½"	5"	5½"
IR5	2"	2½"	3"	3½"	4"	4½"	5"	5½"	6"	6½"
IR6	0"	0"	½"	1"	1½"	2"	2½"	3"	3½"	4"
IR7	0"	¼"	½"	¾"	1"	1¼"	1½"	1¾"	2"	2"
IR9	0"	7/16"	1"	1⅞"	2⅞"	2⅞"	3¼"	3⅜"	4⅞"	4⅞"
IR10	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	2¾"	3"	3"
IR11	1"	1½"	2"	2½"	3"	3½"	4"	4½"	5"	5"
IR12	2"	2½"	3"	3½"	4"	4½"	5"	5½"	6"	6"
IR13	3"	3½"	4"	4½"	5"	5½"	6"	6½"	7"	7½"
IR14	1"	1½"	2"	2½"	3"	3½"	4"	4½"	5"	5¼"
IR15	3"	3½"	4"	4½"	5"	5½"	6"	6½"	7"	7¼"
IR16	0"	0"	0"	0"	½"	1"	1½"	2"	2½"	3"
IR18	N/A	N/A	0"	0"	0"	0"	0"	¼"	½"	¾"
IR20	0"	0"	0"	½"	1"	1½"	2"	2½"	3"	3"
IR21	0"	0"	½"	1"	1½"	2"	2½"	3"	3½"	3½"
IR22	N/A	N/A	0"	0"	0"	¼"	½"	1"	1½"	2"
IR23	N/A	N/A	0"	¼"	½"	1"	1½"	2¼"	3"	3¾"
IR25	0"	½"	1"	1½"	2"	2½"	3"	3½"	4"	4¼"
IR26	2"	2½"	3"	3½"	4"	4½"	5"	5½"	6"	6¼"
IR27 Hybrid Heads	0"—41"		½"—40½"		1"—40"		1½"—39½"		2"—39"	
IR29	½"	1"	1½"	2"	2½"	3"	3½"	4"	4½"	5"
IR30	Tip trim to length									
IR31	N/A	N/A	N/A	½"	1"	1½"	2"	2½"	3"	3¼"
IR32	0"—14 deg.		½"—16 deg.		1"—18 deg.		1½"—20 deg.		2"—22 deg.	
IR33	0"	⅝"	1¼"	1⅞"	2½"	3⅞"	3¾"	4⅜"	5"	5"
IR34	1"	1⅝"	2¼"	2⅞"	3½"	4⅞"	4¾"	5⅜"	6"	6"
IR35	1"	2⅝"	3¼"	3⅞"	4½"	5⅞"	5¾"	6⅜"	7"	7"
IR36	1⅜"	1¾"	2⅝"	2⅞"	3⅞"	4"	4⅞"	5⅞"	5⅞"	6¼"
IR37	0"	0"	0"	½"	1"	1½"	2"	2½"	3"	3½"
IR39	1½"	2"	2½"	3"	3½"	4"	4½"	5"	5½"	5½"

WOOD TRIM CODE	1	2	3	4	5	6	7	8	9
W1	Butt trim to length only								
W2	0"	¼"	½"	¾"	1"	1"	1"	1"	1"
W3	0"	¼"	½"	¾"	1"	1¼"	1½"	1½"	1½"
W4	0"	¼"	½"	¾"	1"	1¼"	1½"	1¾"	2"
W5	0"	¼"	½"	1"	1½"	1½"	1½"	1½"	1½"
W6	0"	½"	1"	1½"	2"	2"	2"	2"	2"
W7	0"	½"	1"	1½"	2"	2¼"	2½"	2¾"	3"
W8	0"	N/A	½"	N/A	¾"	N/A	1"	N/A	1"
W9	0"	¼"	½"	¾"	1"	1½"	1½"	1½"	1½"
W11	1"	1¼"	1½"	1¾"	2"	2"	2"	2"	2"
W12	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	2¾"	3"
W13	1"	1½"	2"	2½"	3"	3"	3"	3"	3"
W14	0"	0"	1"	1¼"	1½"	2"	2"	2"	2"
W15	2"	2¼"	2½"	3"	3½"	3½"	3½"	3½"	3½"
W16	2"	2¼"	2½"	2¾"	3"	3"	3"	3"	3"
W17	N/A	N/A	0"	N/A	½"	N/A	¾"	N/A	1"
W18	0"	N/A	1"	N/A	1½"	N/A	N/A	N/A	N/A
W19	N/A	0"	0"	½"	1"	1½"	2"	2"	2"
W21	0"	1"	1"	1"	1"	1"	1"	1"	1"
W23	0"	0"	1"	1¼"	1½"	1¾"	2"	2¼"	2½"
W27	0"	0"	¼"	½"	¾"	¾"	¾"	¾"	¾"
W28	2½"	2½"	2¾"	3"	3¼"	4¼"	5¼"	6¼"	7¼"
W31	0"	½"	1"	1½"	2"	2¼"	2½"	2½"	2½"
W32	0"	0"	0"	0"	½"	¾"	1"	1¼"	1½"



**iWEDGE**

<b>LOFT</b>	52	56*	60*	64*
<b>LIE</b>	64	64	64	64
<b>BOUNCE</b>	6	8	13	13
<b>LENGTH</b>	35.0"			
<b>MATERIAL</b>	304 Soft Stainless Steel			

\* available in left hand

**ZINC CHIPPER****7C002**

- Light weight alloy head for increased control
- Offset design for easy set up
- Loft 27°, Lie 61°

**S/S CHIPPER****7C001****7C001L**

- 431 stainless steel construction for ultimate performance and durability
- Offset Wide sole design for easy set up and control
- Loft 27°, Lie 61°
- Available in LH + RH

**TOUR TECH****7P001**

- Lightweight alloy head for increased control
- 5 Right hand models
- 1 Left Hand model

**CENTRE SHAFTS**

- Simple design for easy set up
- Can be used right handed or left handed

<b>7P002</b>	<b>ZINC</b>	31"	33"	35"
--------------	-------------	-----	-----	-----





The Infiniti HIRE range can be sold in any configuration. Call us today for a no obligation free quote.



## HIRE CLUBS

<b>DRIVER</b>	RH/LH 400cc 10.5 Titanium
<b>FAIRWAYS</b>	RH/LH 3(16")
<b>HYBRIDS</b>	RH/LH 3(19), 4(22)
<b>IRONS</b>	RH/LH 4.5.6.7.8.9.P.S
<b>PUTTER</b>	RH/LH
<b>REGULAR</b>	38.0" 5ir
<b>STIFF</b>	39.0" 5ir
<b>LADY</b>	37.0" 5ir

## HIRE BAG

8IB006

- 9" bag constructed of high grade PU leather and PVC for durability
- Non porous finish allows the bag to be easily cleaned and maintained
- Heavy duty zippers and pullers
- 6 way divider top
- 2 full length apparel pockets
- 1 insulated pocket with drainage holes
- 1 accessories pocket

## HIRE BUGGY

9IB009

- 20mm x 20mm x 2mm square shaft
- T handle for easy pull or push
- Steel bearing wheels
- Removable upper bracket
- Chain lock feature
- Stable base
- 5 per carton
- Discount for volume purchase



## RUBBER CEMENT 4LT

6B12224L

- Rubber cement is a light coloured, quick acting general purpose adhesive that is used for bonding many light weight materials
- Ideal for regripping



## BRAMPTON GRIP SOLVENTS

A 6GWHF100 1LT SPRAY  
B 6GWHF10G 4LT

- Nontoxic, nonflammable and odorless solvent that is reusable
- HF 100 solvent is more effective than other solvents, working well with up to 60% less



## SOLVENT CATCH PAN

6GM110710


- No more grip solvent splattering on the workbench and the floor!
- Solvent catch pan easily mounts to any workbench



## PRESSURISED GRIP REMOVER KIT

A 6GWGS6 PRESSURISED GRIP REMOVER KIT  
B 6GWHSO6 REPLACEMENT EXTENSION HOSE

C 6GWIGSN5 NEEDLES - 5PK



## GEARED GRIP TAPE DISPENSER

6GM110210

- A robust grip tape dispenser with an automatic backup tape pick-up mechanism



## GEARED GRIP TAPE DISPENSER WITH BUILD-UP TAPE SPOOL

6GM110211

- Adds a second spool to dispense grip build up tape, eliminating the need for a second grip tape dispenser



## METERED GRIP TAPE DISPENSER

6GM110220  
6GM110221 WITH DUAL SPOOL

- The only grip tape dispenser that dispenses the desired length of grip tape accurately each and every time



## MASKING TAPE

6AT001-24 24MM X 50M  
6AT001-48 48MM X 50M



## DOUBLE SIDED TAPE

6AT002-12 12MM X 33M  
6AT002-24 24MM X 33M  
6AT002-48 48MM X 33M



## CLOTH TAPE

6AT003-24 24MM X 25M  
6AT003-48 48MM X 25M



## CLUB HEAD PROTECTION TAPE

6GW2015 - 2" X 18YD - IRON & HYBRID  
6GW2017 - 4" X 18YD - DRIVER



### GRIP BORE CLEANER

6GWGBCT

- Clean tape and residue from inside the grip before reinstalling
- Bristles are spiral wound steel fibers and effectively remove dried-on tape or lumpy old tape residue



### UNIVERSAL GRIP GAUGE

6GWMAGG

- Measures shaft butt size and grip size on both men's and ladies' clubs, right and left-hand, including undersized, standard and oversized



### TAPE STRIPPER


6GW1101

- This handy tool saves you time and energy when stripping grip tape off a club. The cutting end is curved to fit the shaft, cleanly stripping tape from graphite or steel shafts in just a few strokes

### METAL SIDED VISE CLAMP

6GWEMSC

- This durable, heavy duty professional shaft clamp is easy to use
- Made of heavy gauge steel on the outside and vulcanized rubber on the inside
- Note: Can be used for graphite shafts



### TERUMO PLASTIC SYRINGE & NEEDLE

6AS002

TERUMO PLASTIC SYRINGE - 20ML

6AS003

TERUMO NEEDLE 18G X 1.5" - 5PK



### UTILITY KNIFE

A 6GWUK

UTILITY KNIFE

B 6GWUKRHB

HOOK BLADE - 5PK


C 6GWUKRSB

STRAIGHT BLADE - 10PK

### RUBBER VISE CLAMP

6GW0141

- Slips over the shaft and is placed in the vise to hold the shaft or club securely without crushing or marring it
- Made of synthetic material with ribbed sides, it is 3 1/2" long
- Can be used for graphite shafts



### GRIP INSTALL TOOL

6GWBBGIT

- Essential for installation on big butt shafts as well as conventional shafts, making grip installation much quicker

### QUICK SHAFT CLAMP

6GW0051

- Thumb knob quickly and easily adjusts the clamp pressure for use with light weight graphite shafts
- Comes with a vise mount, but can be directly attached to a work bench



### SPEED CLAMP

6GM170800

- Unique clamping fixture instantly self adjust to any shaft diameter size
- Milled to exact tolerances and comes complete with hardware for bench mounting

### COMPACT PNEUMATIC SPEED GRIPPER

6GM100650

- Can be installed anywhere on a production line quickly to speed up assembly
- Bolts onto a workbench or our transformer stand



### GRIPDIP SPEED GRIPPER

6GM100620

- The club is secured in the vise and the shaft is dipped into the solvent tank, before the grip is slipped on dry over the wet tape
- Works great with brush-on grip adhesives





### BENCH MOUNT PROFESSIONAL GRIPPING STATION

6GM100732

- Conceived for the enthusiast and budding professional, this time proven value packed and well refined design offers all the functionality needed to grip and re-grip golf clubs to a professional standard



### MICRO GRIPPER

6GM100605

- Clubmakers who like to keep it simple this module has a robust lateral grip vise, a build-up tape dispenser, solvent recycling catch pan and all the small hand tools needed for re-gripping
- This gripping vise can also be held in a bench vise or bolted onto a workbench

#### COMPATIBLE WITH:



6GM100605  
MICRO GRIPPER



6GM100732  
BENCH MOUNT  
PROFESSIONAL  
GRIPPING STATION



6GM100620  
GRIPDIP  
SPEED  
GRIPPER

### TRANSFORMER PORTABLE GRIPPING STAND

6GM100011

- The Transformer portable gripping stand allows clubmakers of all skill levels to build their own "dream" gripping station using our large selection of compatible bolt-on gripping vises, tools and accessories



### SHOP MASTER GRIPPING STATION

6GM100726

- Designed for high traffic outlets and the smaller production line; this self contained gripping station is packed with productivity features refined over two decades serving customers worldwide
- This gripping station offers 50% more work space built into an ergonomically adjustable steel frame with a comfortable form factor where all the essential components are logically positioned and within arm's reach
- All the small hand tools needed for re-gripping are in the box including the golf club rack with the non-slip mat



### 5 MIN MAX STRENGTH QUIK SET

6GWVB1024



### 30 MIN 2 PART EPOXY TOUR SET


6GWPSB4 250ML



### 24 HOUR 2 PART EPOXY

6GWEPX4  
250ML

6GWEPX16 1LT



### 5 MIN MAX STRENGTH

6GWVB1003

### EPOXY CARTRIDGE GUN WITH 1:1 MIX RATIO

6GWESG2



### QUIK CENTER

6GWQCSB



### WOODEN STIRRERS

6WS001 1,000PK

### GLASS SHAFTING BEADS

6GW0043



### CLUBHEAD TACKING ADHESIVE

6GWCLHT



### STEEL BUTT EXTENSIONS

6GM290140-SS56 .560"  
6GM290140-SS58 .580"  
6GM290140-SS60 .600"

- Golf Imports steel extensions can be used to extend the finished playing length of any steel shaft club
- 12" long, they can be cut in half to offer 2 extensions with 4.5" of parallel



### ALUMINIUM SHAFT EXTENSION

6GW0104

- The GolfWorks Aluminum Shaft Extensions for the steel golf shafts have been re-designed to achieve a much tighter size tolerance
- The Aluminum Extensions are designed to perfectly fit most steel shafts with a .600" butt diameter but can be sanded to fit shafts with slightly smaller butt diameters if needed



### GRAPHITE SHAFT EXTENDERS

6GWGSE REGULAR .600"  
6GWUSGE OVERSIZE .600"

- The GolfWorks offers graphite extensions for standard or ultralite shafts
- These 3" extensions are made of injection-molded graphite for strength and durability



### BORE THRU PINS

6GWBTSPG GRAPHITE 5PK  
6GWBTSPS STEEL 5PK

- Using epoxy, these graphite pins are inserted into the end of the shaft and sanded smooth to conform to the sole of the head
- This method is efficient and will result in a factory finished look
- Now with a nail type head for easier installation



## FERRULES

- Complete selection of ferrules with modern outside diameters that match perfectly to the outside diameter of most hosels
- All ferrules have a 19° countersink which allows a cushion of epoxy to form between the top of the hosel and the inside of the ferrule, strengthening the bond

**50  
PACK**

## IRON

CODE	TYPE	COLOUR	RING COLOUR	LENGTH	OD	ID
PLASTIC IRON FERRULES						
6A001-A	Short	Black	None	10mm	13mm	.370"
6A001-B	Long	Black	None	20mm	14mm	.370"
6A001-C	Short	Black	Gold	10mm	13mm	.370"
6A001-D	Long	Black	Gold	20mm	14mm	.370"
6A001-E	Short	Black	Clear	10mm	13mm	.370"
6A001-F	Long	Black	Clear	20mm	14mm	.370"



6A001-A



6A001-C



6A001-E



6A001-B



6A001-D



6A001-G



6A002-A



6A002-C



6A002-E



6A002-G



6A002-B



6A002-D

## WOOD

CODE	TYPE	COLOUR	RING COLOUR	LENGTH	OD	ID
PLASTIC WOOD FERRULES						
6A002-A	Short	Black	None	6mm	12mm	.335"
6A002-B	Long	Black	None	17mm	12mm	.335"
6A002-C	Short	Black	Gold	6mm	12mm	.335"
6A002-D	Long	Black	Gold	17mm	12mm	.335"
6A002-E	Short	Black	Clear	6mm	12mm	.335"
6A002-F	Long	Black	Clear	17mm	12mm	.335"

## 168 PC FERRULE KIT

6A000



CODE	TYPE	COLOUR	RING COLOUR	LENGTH	OD	ID	PCS
PLASTIC IRON FERRULES							
6A001-A	Short	Black	None	10mm	13mm	.370"	12
6A001-B	Long	Black	None	20mm	14mm	.370"	12
6A001-C	Short	Black	Gold	10mm	13mm	.370"	12
6A001-D	Long	Black	Gold	20mm	14mm	.370"	12
6A001-E	Short	Black	Clear	10mm	13mm	.370"	12
6A001-F	Long	Black	Clear	20mm	14mm	.370"	12
6GW66TI	Long	Black	None	20mm	14mm	.355"	12
PLASTIC WOOD FERRULES							
6A002-A	Short	Black	None	6mm	12mm	.335"	12
6A002-B	Long	Black	None	17mm	12mm	.335"	12
6A002-C	Short	Black	Gold	6mm	12mm	.335"	12
6A002-D	Long	Black	Gold	17mm	12mm	.335"	12
6A002-E	Short	Black	Clear	6mm	12mm	.335"	12
6A002-F	Long	Black	Clear	17mm	12mm	.335"	12
6GW620W	Short	Black	None	6mm	12mm	.350"	12

• Parallel irons • Tapered irons • Parallel woods • Oversize woods

**12 PACKS**


## WOOD + IRON FERRULES

CODE	OD	ID
6GW640W	.525"	.400"
6GW80PW	.525"	.335"
6GW620W	.525"	.350"
6GW74PI	.550"	.370"
6GW66TI	.570"	.355"



## SPLIT FERRULES

6GWLE9003	.370	12PK
6GWLE9004	.335	6PK
6GWLE9005	.350	6PK

- A must have for replacing damaged ferrules without removing the club head



## FERRULE INSTALLATION TOOL

6GW1023

- Hand Held Ferrule Installer with Depth Gauge





## TAYLORMADE ADAPTORS, FERRULES + SLEEVES

CODE	SIZE	DESCRIPTION
ADAPTORS + FERRULES		
6GWTM335AD	.335"	TaylorMade R5, R7, Burner and Super Quad Woods
6GWTM350AD	.350"	TaylorMade R5, R7, Burner and Super Quad Woods
6GWBB9007	.370"	TaylorMade RAC
6GWBB9014	.370"	TaylorMade R7 Iron adaptor
6GWBB9015	.350"	TaylorMade adaptor - Rescue hybrid ferrule
6GWBB9030	.355" / .350" / .370"	TaylorMade ferrule fits R9, R11
6GWBB9053	.335" / .350"	TaylorMade ferrule fits R1
6GWBB9057	.335" / .350"	TaylorMade ferrule fits SLDR, R15, M1, M2, M3, M4, M5, M6
6GWBB9071	.370"	TaylorMade iron ferrule
6GWBB9097	.335"	TaylorMade adaptor ferrule fits M3, M4, M5, M6




CODE	SIZE	DESCRIPTION
SHAFT ADAPTORS		
6GWTM0016	.335"	TaylorMade adaptor fits R9, R11 RH/LH
6GWTM0017-335	.335"	TaylorMade RBZ sleeve RH/LH
6GWTM0017-350	.350"	TaylorMade RBZ sleeve RH
6GWTM0023	.335"	TaylorMade adaptor fits R-15, SLDR, M1, M2, M3, M4, M5, M6 RH/LH
6GWBB9054	.335"	Generic adaptor fits R1
6GWBB9055	.335"	Generic adaptor fits Jet Speed
6GWBB9024	-	TaylorMade adaptor screw and washer





## CALLAWAY ADAPTORS, FERRULES + SLEEVES

CODE	SIZE	DESCRIPTION
ADAPTORS + FERRULES		
6GWBB9002	.335"	Callaway FT-5, FT-I, X-460, Big Bertha 460, Big Bertha 454, VFT, ERC II, Steel Head III and Great Big Bertha II Woods
6GWCS	.350"	Callaway FT-5, FT-I, X-460, Big Bertha 460, Big Bertha 454, VFT, ERC II, Steel Head III and Great Big Bertha II Woods
6GWBB9003	.370"	Recommended replacement ferrule for all .370" hosel diameter Callaway irons
6GWBB9005	.335"	Callaway wood ferrule
6GWBB9006	.350"	Callaway wood ferrule
6GWBB9025	.335" / .350"	Callaway adaptor
6GWBB9026	.335" / .350"	Callaway adaptor
6GWBB9040	.335" / .350"	Callaway I-MIX adaptor kit
6GWBB9049	.335" / .350"	Callaway RAZR-FIT adaptor
6GWBB9050	.370"	Callaway iron ferrule - X Hot, X Hot Pro, RAZR XL, X-24, Diablo forged, Diablo Edge and X Utility Prototype
6GWBB9051	.335"	Callaway iron ferrule - X Prototype iron, RAZR X Muscleback iron, RAZR X Tour iron, X Forged iron, X Series JAWS Wedges, X Series JAWS CC Wedges, RAZR X Forged Wedges, CC Forged Wedges
6GWBB9096	.335"	Callaway Opti-fit ferrule - replacement ferrule for the Callaway Opti-Fit shaft adaptors
6GWCA0020	.335"	Callaway Advanced Opti-Force shaft adaptor fits Epic, Rogue, Epic Flash, Big Bertha Alpha 815, Big Bertha V Series, Big Bertha, Big Bertha Alpha, X-Hot 2, Opti-Force RH
6GWCA0024	.335"	Opti-fit fairway adaptors - factory authentic Callaway Epic Flash fairway adaptor
6GWCA0025	.370"	Opti-fit hybrid adaptors - factory authentic 2020 Callaway Big Bertha hybrid adaptor



## TITLEIST ADAPTORS

CODE	SIZE	DESCRIPTION
ADAPTORS		
6GWBB9028	.335"	Titleist adaptor ferrule fits 910, 913, 915, 917, TS2, TS3
6GWBB9037	.350" / .370"	Titleist adaptor ferrule fits 910 hybrid
6GWBB9063	.355"	Titleist adaptor ferrule fits AP1 & AP2 iron
6BB5013	.335"	Generic D adaptor fits 910, 913, 915, 917, TS2, TS3
6BB5016	.370"	Generic H adaptor fits 910, 913, 915, 917
6BB5017	.350"	Generic D adaptor fits 910, 913, 915, 917
6BB5025	.335"	Generic F adaptor fits 910, 913, 915, 917
6BB5026	.370"	Generic H adaptor fits 910, 913, 915, 917





6GWBB9047 6GWBB9048 6GWBB9052 6GWBB9078 6GWPGC001 6GWPGC002 6GWPGC005

## PING ADAPTORS

CODE	SIZE	DESCRIPTION
ADAPTORS		
6GWBB9047	.355"	Ping iron ferrule adaptor - Fits I20, Anser & S-56
6GWBB9048	.335" / .350"	Ping G5, G15 Drivers/Fairway Woods and G2 Drivers
6GWBB9078	.355"	Ping G Series Drivers & FW
6GWBB9052	.335"	Ping G25 and Anser adaptor
6GWPGC001	.335"	Ping i25, G25 & Anser shaft adaptor RH/LH
6GWPGC002	.335"	Ping G Series shaft adaptor RH/LH
6GWPGC005	.355"	Ping G410 adaptor RH/LH

## MIZUNO ADAPTORS

### 6GWBB9072 MIZUNO JPX ADAPTOR

- Aftermarket shaft adaptor for the Mizuno drivers allows 8 different loft/lie settings
- Loft settings change from 7.5 to 11.5 degrees in both standard and upright lie angles
- RH .335" Fits ST-190G, JPX, GT180 and ST180 dr



6GWBB9019 6GWBB9020 6GWBB9056 6GWNK0005


## COBRA ADAPTORS

- Fly Z Standard Driver - 9°, 9.5°, 9.5° Draw, 10.5°, 10.5° Draw, 11.5°, 11.5° Draw, 12°
- Fly Z+ Pro Driver - 8.5°, 9.0°, 9.0° Draw, 10°, 10° Draw, 11°, 11° Draw, 11.5°

CODE	DESCRIPTION
6GWBB9079	.335" F7, F7+, King LTD, F6, F6+, Fly Z, Fly Z+ Bio Cell Bio / Pro

## NIKE FERRULES, ADAPTORS + SLEEVES

CODE	SIZE	DESCRIPTION
ADAPTORS + SLEEVES		
6GWBB9019	.335"	Adaptor Oversized and collared to fit Nike Sasquatch Drivers
6GWBB9020	.335"	Ferrule to fit Sumo Driver
6GWBB9056	.335"	Covert Replacement Ferrule
6GWNK0005	.335"	Flex Loft 2.0 Shaft Adaptor RH



6GWBB0006 6GWBB0001 6GWBB0007

12  
PACK



6GWBB9018

6GWSHIM15  
6GWSHIM30  
6GWSMINT

## COLLARED FERRULES

6GWBB0001	COLLARED IR FERRULE 12 PK
6GWBB0006	COLLARED WD FERRULE 12 PK .335
6GWBB0007	COLLARED WD FERRULE 12 PK .350

- Designed specifically for use with graphite golf shafts
- The ferrule collar fits into the club head's hosel to cushion the contact point between the shaft and hosel

## SHIMS

CODE	BRAND	SIZE	PACK SIZE
PLASTIC + BRASS SHIMS			
6GWBB9018	Plastic shim	Reduces .350" hosel to .335"	1
6GWSHIM15	Brass shim	Reduces .350" hosel to .335"	5
6GWSHIM30	Brass shim	Reduces .400" hosel to .370"	5
6GWSMINT	Brass shim	Reduces .370" hosel to .355"	5





### GOLF SHAFT CUTTER

6GWSTC GOLF SHAFT CUTTER  
 6GWSTCCW REPLACEMENT WHEEL - STEEL  
 6GWSTCCWG REPLACEMENT WHEEL - GRAPHITE

- This handy cutter is a great tool for cutting shafts to length
- Comes with a hardened, tempered cutting wheel for steel shafts



### FLEXOVIT CUT OFF WHEEL



6CW001

- Suitable for 356mm cut off saws, Flexovit reinforced cut-off-wheel is ideal for cutting steel and graphite shafts
- Max RPM 4,400

### COMPACT SHAFT CUTTER AND FERRULE PREPPING CENTRE

6GM130645

- Ideal for small workshops or the occasional clubmaker
- Clean compact and well thought-out; this design has the power to slice through steel and graphite shafts, and turn ferrules down to size
- It has a re-powered design with a motor that has 15% more torque, so that heavier belts can be used to cut through deep scratches and buff heavily soiled clubheads to restore them to like new conditions



### BELTS

6GM1306SP-G0401-30X1X120  
 6GM1306SP-G0401-30X1X240  
 6GM1306SP-G0401-30X1XFL  
 6GM1306SP-G0401-30X1XMG30  
 6GM1306SP-G0401-30X1XMG264  
 6GM1306SP-G0401-30X1XFSR  
 6GM1306SP-G0401-30X1XFF

### CUTTING WHEELS

6GMSP-G0403-04HE-P10  
 6GMSP-G0403-04HY-P10

30" BELT 120 GRIT  
 30" BELT 240 GRIT  
 30" BELT WHITE LINEN  
 30" BELT FINE  
 30" BELT MEDIUM  
 30" BELT COURSE  
 30" BELT WHITE FELT

HIGH EFFICIENCY  
 HIGH YIELD

### LINISHING BELTS

6LB36120 36" 120 GRIT  
 6LB36240 36" 240 GRIT  
 6LB36F 36" FERRULE  
 6LB48120 48" 120 GRIT  
 6LB48240 48" 240 GRIT  
 6LB48F 48" FERRULE



### SCOTCHBRITE BELTS

6SB36C 36" COARSE  
 6SB36F 36" FINE  
 6SB36M 36" MEDIUM  
 6SB48C 48" COARSE  
 6SB48F 48" FINE  
 6SB48M 48" MEDIUM

COARSE

FINE

MEDIUM





### SANDING CONE DRUM

6SC000 DRUM  
6SC120 CONE 120 GRIT  
6SC240 CONE 240 GRIT


- Attaches to existing mandrel
- Sanding cones used to remove stubborn marks and scratches from irons or metal woods



### BUFFING COMPOUND

6BCG01 GREEN  
6BCW01 WHITE

- Green cake for fast, sharp cutting
- White Rouge for the finest polish on stainless steel and most other metals and plastics



### TAPERED SPINDLE

6TS001RH + LH

- Used to fit polishing mops to a bench grinder
- Available in RH and LH to fit 150mm and 200mm bench grinders



### 6" BUFFING WHEEL

6BW001 STITCHED  
6BW002 UNSTITCHED

- Use of these wheels with the correct compounds and the Scotchbrite finishing belt allows a mirror finish to be easily applied to steel and titanium club heads



### BUFFING GLOVES

A 6BG100  
B 6BG101

- These economy cow hide gloves are ideal for light sanding and buffing
- These commercial grade welding gloves are ideal for sanding and buffing and offer extra protection
- Flexible enough for accurate work yet tough enough for protection
- Also useful for handling hot iron heads during reshafting



### SAFETY GLASSES

6SG001

- Always wear safety glasses when trimming a shaft!
- Extremely comfortable for regular wear





### MONOBLOC ECONOMY SHAFT EXTRACTOR

6GM210022

- A compact shaft extractor for the serious enthusiasts and the smaller workshops.
- This extractor can be held in a vise or bolted on to a bench



### ULTIMATE HEAVY DUTY SHAFT EXTRACTOR

6GM210906

- This is for the most demanding golf club repair shops that handle a large variety of club-head designs and where a fast turn around on re-shafting jobs are demanded
- With a throw 6 Inches long (150 mm), shafts can be extracted from deep hosel bores commonly found on specialty wedges, irons with unusually flat lies and drivers with volumes in excess of 460cc



### CLUBMAKER'S COMPACT SHAFT EXTRACTOR

6GM210116

- With industrial performance this is designed for smaller shops – it ticks all the boxes for functionally, pulling power and serviceability
- This extractor has a full 5" throw for working on deep shafted wedges, hybrids and shafts with adapters, while the gated hosel stopper has clearance for .335 .370 and .410 shaft tips
- To prevent weakening shafts that are to be re-used; A powerful 700 Lbs. compression spring embedded into the hosel stopper pushes the club-head out as the epoxy bond disintegrates under the applied heat





### POLYURETHANE PADS (PAIR)

6EGSP



### ALUMINIUM HOSEL PROTECTOR

6GW1113



### SCREW EXTRACTOR SET

6GW35P5

- This set of five extractors will cover needs ranging from removing broken shafts from hosels to extracting soleplate or insert screws



### LOCK TIGHT SHAFT HOLDER

6GWTS

- Holds steel shafts securely while removing wood or iron heads
- Assorted hole sizes accommodate standard steel shafts
- Note: Not for use on graphite shafts



### OEM ADAPTOR SAVER KIT

6GW0130

- Red - Fits Nike VR-S Covert FlexLoft adaptor
- Blue - Fits all Callaway Opti-Fit, Tour Authentic & Opti-Force adaptors
- Black - Fits all TaylorMade shaft adaptors
- Gray - Fits Titleist 910 and 913 adaptors
- Yellow - Fits all Cobra adaptors



### CLUB SHIELD

6GW1033 20Z. BOTTLE

- Preserves and protects; Painted finishes, Ferrules, Graphite shaft finishes and Putter inserts

### HOSEL HONING TOOL

6GW1061-335 .335"  
6GW1061-350 .350"  
6GW1061-370 .370"

- Great product for cleaning the inside of the hosel
- Excellent for removing epoxy resin and abrading the inside of a hosel prior to reshafting



### HOSEL CLEANING BITS

6GW1060I .370"  
6GW1060W .335"

- Cleans out hosels quickly and easily and prepares them for re-assembly
- We recommend that the hosel be cleaned out using a cotton swab dampened with solvent after use



### HOSEL CLEANING SANDING SLEEVES


6GWCRCMWC SANDING SLEEVE WITH MANDREL  
6GWCRCM1 5PK SANDING SLEEVES

- Clean hosels quickly and easily with your drill or motor arbor
- Replacement sleeves in packs of five

### BROKEN GRAPHITE SHAFT

6GW0025

- A handy little tool to easily remove graphite shafts broken off at the hosel of wood and iron heads



### MULTI GOLF SHAFT ID GAUGE

6GWGSITG

- A must have tool for reshafting and identifying almost any shaft



### METAL WOOD BORE PLUGS

6GWMWHBP 20PK

- A replacement for manufacturer's plugs
- Prevents epoxy from working its way into the clubhead, causing rattles
- Install after insertion of clubhead tac





## SHAFT AND HOSEL GAUGE SET

6GM060110


- The shaft tip/hosel bore checker is a fast and accurate way to check the upper and lower tolerance limits of shaft tips and hosel bores
- This ensures that the correct clearance needed for a strong bond between the club head and shaft is met



## REAMER

6GW0115 .335  
6GW0115 .350  
6GW0115 .370  
6GW0116 .355

- Made of high strength steel for longer life, these precision Spiral Fluted Reamers will remove debris and small amounts of metal from virtually any hosel bore
- Available in 4 diameters, .335" and .350" woods - .355" and .370" irons



## FAST SHAFT EXTRACTOR

6BB13009 .335 & .355  
6BB13010 .370

- Designed to remove a steel shaft broken below the top of the hosel
- To use, thread the extractor into the broken shaft, attach the extracting bushing and nut, apply heat and begin extracting
- Available for woods or irons

## DRILL BITS

6GWDBH01 1/8" X 2"

- Remove epoxy from inner graphite shaft tip

6GWDBH08 .335"

- Remove epoxy from hosel .335"

6GWDBH15 .370"

- Remove epoxy from hosel .370"

6GWDBCSET

- Set of 3 bore iron heads to fit .355"



## REGROOVING TOOL

6GW111 PRE 2010  
6GW0109 2010+

- Deepen or restore worn scoring lines with the New GolfWorks Regrooving Tool
- New cutting tip is a coated carbide lathe cutting tool used in machining
- This tool is perfectly suited for regrooving
- Regrooves all metals commonly used in iron manufacturing
- Great for cleaning out the scoring lines



## REPAIR TAGS

6GWRET 100PK

- Use these handy two part Repair Tags to keep track of your customers' clubs
- Set of 100 tags comes in numerical sequence



## PLUNGER CAN

6GW1026

- Convenient plunger holds acetone and grip cleaning solvent safely in your shop
- Easily dispenses the desired amount of solvent onto a cloth or paper towel
- A handy tool used in large number of professional clubmaker's shops



## PROFESSIONAL DIGITAL SWING WEIGHT SCALE

6GM020711

- Designed for the busy and tech-savvy clubmaker, the Auditor Digital Swing Weight Scale is an accurate, affordable and easy to use instrument
- It has no counterpoise to slide or beams to balance like!
- Based on the industry standard 14" fulcrum, this scale measures swing-weights from "A" through "G" in 0.1 SW increments



## PRO-SHOP SWING WEIGHT SCALE


6GM020310

- Designed by special request from the former Dynacraft® Golf Company Ohio; The Pro-Shop Swing Weight Scale is primarily intended for the golf retail store
- It features a shorter beam to save space on counter tops, superb accuracy and a robust construction, this scale measures swing weight and static weight in grams and ounces

## BEAM BALANCE SWING WEIGHT SCALE

6GM020200

- The Auditor Iorythmic Swing weight scale is the ideal balance for the casual clubmaker
- It measures the swing weight of a golf club based on the industry standard 14" fulcrum length
- It also weighs golf clubs in both grams and ounces






**6  
PACK**

### LEAD PLUGS

- Lead Shaft Tip Weights are epoxied into the shaft tip during assembly to achieve your desired swingweight
- Available for steel wood, steel iron and graphite shafts these shaft tip weights fit a maximum .285" inside diameter for steel wood shafts, .312" inside diameter for steel iron shafts and .148" diameter for both iron and wood graphite shafts
- Sold in packages of 6 weights each

CODE	WEIGHT	SIZE
LEAD PLUGS (6PK)		
6GW0105-2	2g	.355"
6GW0105-4	4g	.355"
6GW0105-6	6g	.355"
6GW0105-8	8g	.355"
6GW0105-10	10g	.355"
6GW0106-2	2g	.370"
6GW0106-4	4g	.370"
6GW0106-6	6g	.370"
6GW0106-8	8g	.370"
6GW0106-10	10g	.370"
6GW0107-2	2g	Graphite Shaft
6GW0107-4	4g	Graphite Shaft
6GW0107-6	6g	Graphite Shaft


**12  
PACK**

### BRASS PLUGS

- These are the same tip weights that major manufacturers use for final swingweighting
- Simply slide into position in the shaft tip, verify final swingweight and epoxy the shaft into position
- Available for steel iron and wood shafts and graphite shafts
- Sold in packs of 12, reusable

CODE	WEIGHT	SIZE
BRASS PLUGS (EACH)		
6GWSITW2	2g	.370"
6GWSITW4	4g	.370"
6GWSITW6	6g	.370"
6GWSITW8	8g	.370"
6GWSITW10	10g	.370"
6GWSWTW2	2g	.335"
6GWSWTW4	4g	.335"
6GWSWTW6	6g	.335"
6GWSWTW8	8g	.335"
6GWSWTW10	10g	.335"
6GWGTW2	2g	Graphite Shaft
6GWGTW4	4g	Graphite Shaft



### LEAD POWDER

**6GWLP 500G**

- Many manufacturers and clubmakers use Powdered Lead in a cavity under the soleplate to final balance and weight clubs
- Usually this cavity is accessible through a small hole sealed with a headless hex type set screw to use powdered lead, remove the set screw and pour the lead into the cavity
- Verify swingweight, then epoxy the set screw back in place


**25  
PACK**

### SWINGWEIGHT CORKS

**6GWCI IRONS  
6GWCO WOODS**

- A must-have when adding lead to tungsten powder down a steel shaft to increase swingweight
- Apply a small film of epoxy to the cork and force down the shaft with a ram rod to secure powdered weight



### HD LEAD TAPE

**6GWHDLT 1/2" X 75"**


### LEAD TAPE

**6GWL36 1/2" X 33M  
6GW1117 1" X 100"**





### FACE IMPACT LABEL

6GW1041 IRON 200PC  
6GW1041P IRON 12PC

- Knowing exactly where the ball contacts the face of the golf club during impact can eliminate many unknowns in dynamic fitting



### LIE ANGLE IMPACT LABEL

6GW1043 600PC  
6GW1043P 21PC

- The GolfWorks Lie Angle Impact Decals pre set lines makes identifying and measuring the soles impact location from a lie angle board a breeze
- A nice professional touch to any iron fitting



### DRIVER FACE IMPACT LABEL

6GW1083

- Face Impact label for Drivers with edge protect - 100pk



### MAGNETIC LIE ANGLE TOOL

6GWMLAT


- With this simple fitting tool, the flight path of the ball as it leaves the clubface after impact can be effectively demonstrated
- The magnetic base allows the lie angle tool to snap onto the iron face



### LIE ANGLE BOARD

6GWS1632

- Dynamic lie fitting checks the angle of the clubhead as it impacts the ball
- Board measures 8 inches by 16 inches with a 3/16-inch thickness



### GHOST TAPE

6ATDR49 IRONS 50 DECALS PER ROLL  
6ATDR99 WOODS 100 DECALS PER ROLL

- Extra-strong decals everything you need to protect your clubs
- Decals are clear and easy to remove



### MAGNETIC PROTRACTOR

6GWPRO

- Measures loft and lie of clubs in the playing position
- Works with any measuring machine
- Accurate to half of 1° with a large 4" dial for easy reading



### GOLF CLUB PROTRACTOR

6GWGWPRO

- Our Stainless Steel Golf Club Protractor is perfect for reading loft and lie measurements
- Can be used to measure woods, irons and putters



### 48"SELF STICK RULER


6GWSSTR

- Adhesive backed 48" ruler sticks to a workbench for handy shaft and club length measurement

### 48" ALUMINIUM RULER

6GWRUL48

- A must have for every shop
- The 48" Ruler ruler not only measures shaft length, it tells you how to do the job!
- The heavy duty aluminum ruler has instructions printed on the surface, including instructions for correctly measuring shaft, Industry standard club lengths for men and women down both sides



### 3 IN 1 BENCH RULER

6GM090628

- This ruler features a "Z" frame that restrains the shaft and places the embedded high visibility ruler above it for a clear view of the numerals



### PUTTER LOFT GAUGE

6GWPLCG

- Uniquely-designed gauge that allows for quick and easy determination of the loft of any putter on the market today
- With loft angles cut from 0-6 degrees, this handheld gauge is a must for those who need a quick and accurate putter loft measuring device





### INTEGRA DIGITAL LIE AND LOFT BENDING GAUGE

6GM150330


- When it comes down to accuracy, reliability and versatility, nothing comes close to this bending machine. This has strength and durability to last clubmakers a life time of service
- At the heart of the Integra lies our Auditor PI digital engine driving automotive grade, shock proof optical encoders with a resolution of a 0.1 of a degree which should be sufficient for the most demanding clubfitter and pro golfer!
- Bending bar sold separately



### PRO-TOUR BENDING GAUGE

6GM150505

- The Classic Pro-Tour distinguishes itself as it re-establishes the correct loft for each iron's position in the set to closing the distance gap evenly between clubs
- A classic and up to date design that harkens back to the days when clubhead manufacturers followed the 24/38 benchmark
- Bending bar sold separately



### THE VALIANT LIE AND LOFT BENDING GAUGE

6GM150310

- In terms of bending accuracy, clamping power, speed and versatility; The Valiant is the best compact, entry-level Lie and Loft bending gauge on the market that is capable of bending irons and wedges straight out of the box
- Precision machined frame fitted with re-circulating linear ball bearings mounted over low friction guide rods ensure a smooth and trouble free operation
- Bending bar sold separately



### COMPACT LIE AND LOFT BENDING MACHINE

6GM150210

- This basic lie and loft bending unit is designed to make hosel adjustments to irons while being able to read specifications without removing the clubhead from the bending unit
- Bending bar sold separately





### DIGITAL PUTTER LIE & LOFT BENDING GAUGE

6GM150812D

- The EVOLUTION II Digital Putter Bending gauge epitomizes our know-how into one feature packed design that mirrors the ease of use, functionality and dependability that made our bending gauges the preferred choice of professional clubmakers and fitters worldwide
- Bending bar sold separately



### CLUBMAKER'S PUTTER BENDING MACHINE

6GM150811

- The design criteria called for a gauge capable of clamping popular putter head designs
- It had to be accurate, easy to use and affordable so that every clubmaker could have one a putter bending gauge with a lie and loft angle protractor mounted on a minimalist parallel bar system; this combination reduces the number of moving parts without impairing usability
- The sweeping arc path inherent to the parallel bars bring the protractor into contact with the shaft in a smooth and controlled way when measuring lie and loft
- Bending bar sold separately



### COMPACT BOUNCE ANGLE GAUGE

6GM010710

- A must-have tool for custom fitting short irons, specialty wedges, and utility clubs
- Measures bounce and dig angle, sole width, and leading edge height



### MANUAL SHAFT SPINE FINDER


6GM050010

- Provides a quick, accurate, low-cost method for locating the neutral bending axis on a golf shaft



**DOUBLE ENDED PUTTER BENDING BAR**


6GM150831

**DOUBLE BEND SHAFT PUTTER BENDING BAR**

6GM150832

**PROFESSIONAL BENDING BAR WITH BRASS JAWS - 24"**

6GM150612

**COMPACT HEAVY DUTY STAND**

6GM150710

- The Golfmechanix Bolt down Compact Heavy Duty Stand features a rigid structure with a wide stance, that transfers power progressively and efficiently to the hosel

**PORTABLE HEAVY DUTY BENDING STAND**

6GM150760

- This is a free standing heavy duty bending stand that can be moved around the work shop and out of the way when needed

**360 DEGREE SWIVEL BASE**

6GM150705

- Improves accuracy, adds control, saves time and eliminates fatigue when having to work through a whole set of irons
- Quickly switches between left and right-handed clubs





CONTACT: Matt Wiltshire  
 Matt@gtapsports.com  
 +61 402 797 743

**FORESIGHT**  
 SPORTS







### 350TL

IZC70159

- Slope technology
- P.A.T. (Pin Acquisition Technology)
- Pulse Technology
- Magnahold
- Live Scan
- 6x Magnification



PIN ACQUISITION  
TECHNOLOGY  
WITH PULSE



MAGNIFICATION



SLOPE MODE



**NEW  
2020**



### TOUR S

IZC70165

- Slope technology
- P.A.T. (Pin Acquisition Technology)
- Prism mode
- Laser mode
- OLED red display
- 7x Magnification



PIN ACQUISITION  
TECHNOLOGY



MAGNIFICATION



SLOPE MODE



### EZ SCAN

IZC70166

- EZ Mode technology
- P.A.T. (Pin Acquisition Technology)
- Magnahold
- Landscape scan
- Exterior LCD display
- 5x Magnification



PIN ACQUISITION  
TECHNOLOGY



MAGNAHOLD



EZ MODE







## HYBRID

IZC70121

- GPS technology
- P.A.T. (Pin Acquisition Technology)
- Landscape scan
- 6x Magnification



PIN ACQUISITION  
TECHNOLOGY



MAGNIFICATION



GPS



## 250+

IZC70168

- Slope technology
- P.A.T. (Pin Acquisition Technology)
- Pulse Technology
- Magnahold
- Landscape scan
- 6x Magnification



PIN ACQUISITION  
TECHNOLOGY  
WITH PULSE



SLOPE MODE



MAGNAHOLD



## 200S

IZC70156

- Slope technology
- P.A.T. (Pin Acquisition Technology)
- Landscape scan
- Water and fog resistant
- 6x Magnification



PIN ACQUISITION  
TECHNOLOGY



SLOPE MODE



ACCURACY






**IZZO**  
GOLF

**SWAMI 6000**

 IZA44082 YELLOW  
 IZA44084 BLUE

- Accurate distances to Front/Center/Back of the green
- New scorecard feature - Save and view your scores
- Shot distance measurements; Auto-hole advance
- New battery lasts over 12 hours
- New larger 2" full color display

**IZZO**  
GOLF

**SWAMI VOICE CLIP**

IZA44040

- See and hear distances to front, center and back of the green
- Preloaded with 38,000+ golf courses worldwide; no download or subscription fees
- Scorecard and shot distance measurement
- Multiple display orientation options
- Easy-charge magnetic charger, 10-12 hr battery life
- Water resistant


**IZZO**  
GOLF

**SWAMI WATCH**

IZA44055

- Preloaded with 38,000 golf courses worldwide; no download or subscription fees
- Accurate distances to front, center, and back of green
- Accurate layup and carry distances to hazards and doglegs
- Shot distance measurement and digital scorecard
- Battery lasts up to 10 hours in GPS mode
- Water resistant




**2  
SIZES**

**BASE HITTING NET**


IZC43406 8' x 7' x 3.5' (Rated to 150 mph ball speed)  
IZC43405 10' x 8' x 3.5' (Rated to 190 mph ball speed)

- Premium netting with reinforced fiberglass frame and metal base
- Hanging Target
- Easy Setup/Takedown
- Includes Ground Stakes & Carry Case


**CHIP-SHOT™ CHIPPING NET**


C10216

- Ultra light and portable
- Easy to set up/take down
- Great for wedge practice
- Use with foam balls for practice indoors or at office


**PRO SERIES™ HITTING MAT**

C10245

- 5' X 3' Hitting Area
- Commercial range size and durability
- True-turf surface simulates real fairway or tee box and is highly resistant to wear and tear
- Premium backing adds padded protection for clubs and softens impact



C10240  
8" x 1" x 16"

C10247  
12" x 1" x 24"


**FT LAUNCH ZONE™ HITTING MATS**

C10240 - 8" x 1" x 16"  
C10247 - 12" x 1" x 24" LARGE

- True-turf surface simulates real fairway or tee box
- Highly resistant to wear and tear
- Heavier weight minimizes slide on impact
- Indoor/outdoor use


**PRO CADDIE™  
BALL SHAGGER**

C40119

- Conveniently feeds one ball at a time with a simple tap of your club
- Collects and holds 35 balls
- Encourages golfers to slow down, focus on one shot at a time
- Unique patented design


**CONNECT EASY™**

C40118

- Minimizes "Flying Elbow" swing fault to reinforce proper wedge and short iron swing
- Works for both left and right handed golfers
- Easy to attach - expandable velcro strap for one-size-fits-all


**ALIGNMENT STIX**

CT29024

- Includes (2) 48" shock-corded rods that can be configured in multiple ways to help support proper alignment, swing path, etc.
- 19" carry tube for convenient storage in apparel pocket





### MINI B-SQUARE PUTTING MAT

C30425

- Make more putts with a perfectly square face
- B-Square teaches how to hit a perfect putt
- A perfect putt stays in the center of the cup
- Works with both arc and straight back/thru putting styles
- Can be set for 2', 4', or 6' lengths
- Includes 1/2" smaller than regulation putt cup to help sharpen aim



### 8' PUTTING MAT

C30431

- High quality, 8' x 1' putting surface simulates real green
- Ramp incline to recessed cup helps build speed and sharpen aim
- High quality backing eliminates folds and creases; rolls out flat



### 10' PUTTING MAT

C30433

- High quality, 10' x 2' putting surface simulates real green
- Ramp incline to recessed cup at both ends to help build speed and sharpen aim
- High quality backing eliminates folds and creases
- Optional foam wedge to create breaking putts




### 12' PUTTING MAT

C30435

- High quality, 12' x 3' putting surface simulates real green
- Ramp incline to (5) recessed cups with hole-fill inserts to help build speed and sharpen aim
- High quality backing eliminates folds and creases
- Optional foam wedge to create breaking putts







### 12" PUTTING MIRROR

C30429

- Can be used for right and left handed putters
- Indoor/Outdoor mirror used to help alignment and swing path
- Comes with a protective cloth case for easy storage and transport
- Contains alignment pegs to use for alignment and swing path



### STRAIGHT SHOT

C40143

- Ball marking tool to help align putt with intended line or break
- Also offers visual aid to ensure eyes are directly over the ball at address
- Promotes proper aim & square putter face at impact
- Includes marking pen & Poker Chip ball marker



### POCKET & 15" BALL RETRIEVERS

C10401 POCKET SIZE  
C10400 15" SIZE

- Includes a dual zip headcover – looks like another club in the bag
- Ergonomic sure-grip handle, stainless steel retriever mechanism
- High quality aluminum alloy – minimizes bending when fully extended
- Pocket version fits in most bag apparel pockets



### WEIGHTED PUTT BALLS

C30437

- 5x the weight of a normal golf ball; soft rubber coating won't damage putter face
- Promotes an accelerating stroke & affirmative strike
- Immediate feedback on off-centre strikes to develop solid contact
- Helps stop deceleration



### DUAL-MARK POKER CHIP 3PK

C30485

- Ideal for practice or real game play
- Look and feel of a real casino poker chip
- Interior metal chip for magnetic hat clips
- Includes putt alignment tool on reverse side



### CHIP BALL MARKERS 2PK

C11109

- Ideal for practice or real game play
- Look and feel of a real casino poker chip
- Interior metal chip for magnetic hat clips
- Includes putt alignment tool on reverse side



### MAGNETIC HAT CLIP MARKER

C29083

- Curved shaped aids in the alignment process
- Conveniently attaches to most cap brims
- Red target line helps improve putting accuracy





### DELUXE IRON COVERS

C10733

- Constructed of high quality synthetic leather for maximum protection
- Set includes 9 covers - 4-PW, SW, AW
- Protect clubs on course or during travel



### IRON COVERS

C10731

- Set includes 9 headcovers: 4-PW, SW, X
- Fits both right and left handed clubs
- Breathable fabric reduces moisture build-up
- Provides excellent protection on course or during travel



### PREMIUM SCORECARD HOLDER

C30419

- Durable PU Leather with a Magnetic Ball Marker
- Holds most standard scorecards
- Includes interior pencil holder
- Easily fits in back pocket for convenient access



### SCORECARD HOLDER

C40104

- Durable synthetic leather outer cover
- Holds most standard scorecards
- Includes interior pencil holder
- Easily fits in back pocket for convenient access



### DIVOT TOOL

C29005

- 4-in-1 tool
- Durable zinc alloy
- Ergonomic design for ease of use
- Metal groove cleaner for tough dirt
- Magnetic ball marker
- Nylon bristle for general cleaning



### GROOVE TOOL

C30448

- CNC - Clean-N-Cut
- Durable nylon bristles for general cleaning
- Restore tool removes hard dirt and sand
- Improve groove definition and extend life
- Compact and ergonomic design
- Will not alter shape or depth of grooves



### CLUB BRUSH

C10281

- Multi-purpose brush to safely clean clubs and shoes
- Includes soft and hard nylon bristles for a variety of surfaces
- Retractable, spring-loaded cord





### HX SOFT-FLITE PRACTICE BALLS

C10318 LIME 9 PACK C10319 LIME 18 PACK C10315 ORANGE 9 PACK C10316 ORANGE 18 PACK

- Durable, soft-flite golf balls
- Simulates actual ball flight
- Callaway's patented HEX pattern dimples
- Available in Lime and Orange



### PERFORMANCE TEES

CT27040 WHITE MIX 2 3/4 CT27042 NEON MIX 2 3/4

- Reduces friction and side spin for optimal accuracy and distance
- Impact ribs provide extra durability around the impact area
- Conforms to USGA & R&A standards



### PAR-TEE™ COMBO SET

C10061

- Virtually unbreakable
- One tee can last entire season
- Creates low spin launch and added distance
- Easy insertion and groove cleaning
- Includes 4x driving tees and 2x par 3 tees



### STAINLESS STEEL TUMBLER SET

C40152

- 30 oz. Stainless Steel Tumbler
- Putt-Align Divot Tool, 3x 3 1/4" Par-Tees (see above)
- Poker Chip Ball Marker (see page 97), 2x Callaway golf balls



### SHORT GAME SET

C40156

- FT Launch Zone Hitting Mat (see page 95)
- Triple Chip Chipping Net: 3 targets in 1
- 3x HX Practice Balls (see above)



### STARTER GIFT SET

C40158

- Putt-Align Divot Tool with Ball Marker
- Premium Club Brush (see page 98)
- 3x 3 1/4" Par-Tees (see above)
- 4x Neon Ball Markers, Ball Marking Pen, 2x Callaway golf balls



### CORDLESS KICKBACK PUTT CUP

C10437

- Battery operated auto ball return (requires 2 "AA" batteries)
- Returns golf balls 10+ feet
- Adjustable entry gate for varying levels of difficulty
- Includes 2x Callaway golf balls





## TRU VU HITTING NETS

A43508 – CLASSIC  
A43510 – LINKS

- The IZZO Tru Vu Trainer gives you the beauty of golf in the comfort of your own home! Designed to act as both a swing trainer and a piece of art, the Tru Vu comes in two different styles. Line your shots up by taking aim right at the flag in our Classic design or grip it and rip it down the fairway on our Links design!

- 7.5'(h) x 7.5'(w) x 1'(d) size
- High quality dye sub printing prevents wear and tear for hundred of swings (rated to 180 mph ball speed)
- Helps develop a consistent swing
- Indoor/outdoor use
- Includes nylon carry bag for convenient travel and storage



## GIANT JR. HITTING NET

A43052

- 8'(h) x 10'(w) x 5'(d) hitting net
- Premium mesh netting engineered and
- Tested to be the strongest in golf
- Hanging target sharpens aim while
- Unique shape allows for use from
- Driver through wedge



## FREEFALL HITTING NET

A43502

- 8'(w) x 7'(h) x 1'(d) hitting net
- Heavy duty netting (rated to 175 mph ball speed)
- Hanging target for improved aim and easier ball retrieval
- Includes nylon carry bag for convenient travel and storage
- Easy set up/take down





### MINI MOUTH CHIPPING NET

20031

- 24" Diameter chipping net
- Two target pockets for more
- Accurate shot making
- Collapses to 12.5" Diameter for easy storage
- Quick pop up assembly
- Includes two ground stakes



### TRIPLE CHIP CHIPPING NET

20032

- 20" Diameter chipping net
- Three different targets for more accurate shot making
- Collapses to 11.5" Diameter for easy storage
- Quick pop up assembly
- Includes two ground stakes



### SHARP SHOOTER

A10070

- Indoor/outdoor putting practice and game set
- Helps develop speed and accuracy
- Can be used for practice or for games
- Various competitive game formats
- Includes Izzo sharp shooter, center targets, and golf balls



### PONG-HOLE

A10072

- Indoor/outdoor chipping practice and game set
- Various competitive game formats
- Easy to set up with everything you need to play: foam balls, two hitting mats, and two different play styles





DISC (18)



BOWL (400)



DISC (18)



BOWL (400)



DISC (18)



BOWL (400)



## STINGER

- The Scorpion STINGER spikes are non-clogging and made with a soft durometer TPU for superior comfort and durability
- Primary spring-flex traction elements provide optimum gripping ability and a green friendly design minimises marks on the green

CODE	THREAD	QTY	INNER
CH75610	SML	22 (Disc)	6
CH75630	QLOK	18 (Disc)	6
CH75640	Fast Twist 3.0	18 (Disc)	6
CH77610	SML	400 (Bowl)	1
CH77640	Fast Twist 3.0	400 (Bowl)	1



## ZARMA

- Three material design that has an innovative soft cushion layer sandwiched between a durable traction layer and a rigid attachment layer
- All three layers are held together using advanced polymer molding techniques

CODE	THREAD	QTY	INNER
CH11540	Fast Twist 3.0	18 (Disc)	6
CH11740	Fast Twist 3.0	400 (Bowl)	4



## HELIX

- Featuring a special spiral design that is extremely green-friendly to minimise spike marks
- Provides incredible stability and traction, while being built with materials that make it far more durable than competing brands

CODE	THREAD	QTY	INNER
CH17560	PINS	20 (Disc)	6
CH17760	PINS	400 (Bowl)	1



## CLEAT REMOVAL &amp; INSTALLATION GUIDE

1



Remove your old cleats with a Softspikes® CleatKaddy™, Cleat Ripper™, or Champ® MaxPro Wrench by twisting the cleats counter-clockwise until they come out of the receptacle. Remove excess debris from the receptacle.

2

Make sure you have the appropriate replacement cleats to match the receptacles in your shoes. Then, follow the instructions for your Insert System below.

Note: installing the wrong cleat into a mis-matched receptacle can permanently damage the receptacle. Do not attempt to force the cleats into the receptacles... check for obstructions and make sure you are installing the correct cleats.



For Fast Twist® 3.0, Tour Lock™, and Slim-LOK® cleats, thread the cleat into the receptacle by hand and twist until it **clicks 1 time**. Proceed to Step #3A.

NOTE: Do not attempt to install Fast Twist® 3.0 or Tri-LOK® cleats into Fast Twist® 3.0/Tour Lock™ or Slim-LOK® receptacles (the small pin in Fast Twist® 3.0/Tour Lock™ or Slim-LOK® receptacles will prevent installation).



For Fast Twist® and Tri-LOK® cleats, thread the cleat into the receptacle by hand and twist until it **clicks 1 time**. Proceed to Step #3B.

NOTE: Fast Twist® 3.0/Tour Lock™ or Slim-LOK® cleats will fit in Fast Twist® or Tri-LOK® receptacles.



For PINS® cleats, align the cleat to fit in the receptacle, and place it in by hand. Do not attempt to hand-tighten. Proceed to Step #3C.



For Q-LOK® cleats, align the cleat to fit in the receptacle, and place it in by hand. Do not attempt to hand-tighten. Proceed to Step #3D.



For Metal Thread cleats, thread the cleat into the receptacle and hand-tighten just enough so that the cleat stays in place. Proceed to Step #3E.

3



Using a Softspikes® CleatKaddy™, Cleat Ripper™, or Champ® MaxPro Wrench™, follow the instructions below for your specific Insert System/Cleats.

**A. For Fast Twist® 3.0/Tour Lock™ and Slim-LOK® cleats,** use the wrench to turn the cleat clockwise until it **clicks 1 additional time**, locking the cleat into place.

**B. For Fast Twist® and Tri-LOK® cleats,** use the wrench to turn the cleat clockwise until it clicks 2 additional times, locking the cleat into place.

**C. For PINS® cleats,** use the wrench to turn the cleat clockwise until it clicks 3 times, locking the cleat into place.







**D. For Q-LOK® cleats,** use the wrench to turn the cleat clockwise until it clicks 1 time, locking the cleat into place.

**E. For Small Metal Thread cleats,** use the wrench to turn the cleat clockwise until the cleat is flush with the sole of the shoe, locking the cleat into place. Do not to over-tighten.



Find your shoe brand in the left column, then locate the style in the columns to the right – OR – match your shoe's cleat receptacle to one of the images across the top row, then choose any Softspikes® or Champ® cleat package that fits that Insert System.

If your shoe is not on this chart, or you need more information about choosing the right replacement cleats, visit [www.softspikes.com/crg](http://www.softspikes.com/crg).

START HERE	<div> <div>If your receptacle looks like one of these:</div>  <div>Select a cleat for these Insert Systems:</div> </div> <div> <div>If your receptacle looks like this:</div>  <div>Select a cleat for these Insert Systems:</div> </div> <div> <div>If your receptacle looks like this:</div>  <div>Select a cleat for this Insert System:</div> </div> <div> <div>If your receptacle looks like this:</div>  <div>Select a cleat for this Insert System:</div> </div> <div> <div>If your receptacle looks like this:</div>  <div>Select a cleat for this Insert System:</div> </div> <div> <div>If your receptacle looks like this:</div>  <div>Select a cleat for this Insert System:</div> </div>					
	<div> <div>fast twist 3.0 Insert System</div> <div>TOUR LOCK Insert System</div> </div> <div> <div>SLIM-LOK SYSTEM®</div> <div>fast twist Insert System</div> <div>Tri-LOK Insert System</div> </div> <div> <div>PINS</div> </div> <div> <div>Q-LOK</div> </div> <div> <div>Metal Thread Insert System</div> </div> <div> <div>Large Plastic Insert System</div> </div>					
ADIDAS		All Styles 2002-2009	All Styles After 2009		Traxion Paragon 2001-2006	
ASICS		All Styles After 2010				
CALLAWAY	All Styles After 2015	2015 Styles: Chev Aero; 2014 Styles: Chev Force, Chev Lite; 2013 Styles: C-Tech Saddle, C-Tech Summer, Sport ERA; All Styles Before 2013	2015 Styles: X Cage Pro, X Nitro; 2013 Styles: TA Chev Bulcher, Tour Staff, Razr X, XTreme			
ECCO	All Styles 2014 and After	All Styles Before 2008		All Styles 2008-2013	World Class Series	
FOOTJOY	Freestyle, DNA 2.0, DNA Helix, ContourFIT, FJ Energize, Tour-S; All Styles 2019 and After	All Styles 1999-2017 (excluding Classics, Dry Premiere, M:Project, DNA, 2014 SuperLite styles 58004 and 58012)	M:Project, DNA, 2014 SuperLite (Styles 58004 and 58012)		Classics/Dry Premiere, 1857	All Styles Before 1999
NEW BALANCE	All Styles 2014 and After			All Styles Before 2014		
NIKE	Lunar Control, Air Zoom Precision, Air Zoom Direct, Lunar Command 2; All Styles 2018 and After	All Styles 2010-2018 (excluding Lunar Control, Air Zoom Precision, Air Zoom Direct, Lunar Command 2)	TW 2015, F2 Premiere	All Styles 2001-2009	All Styles Before 2001	
OAKLEY		All Styles Before 2013	All Styles 2013 and After			
PUMA	PWRAdapt, Blaze Sport, PROAdapt	All Styles 2010-2011; 2012 Styles: Ace 2, Club 917, Jigg, PG Roma	All Styles 2013-2019 (excluding PWRAdapt, Blaze Sport, PROAdapt); 2012 Styles: Iso Pro, Spark Sport, Cell Fusion, Super Cell	All Styles Before 2010	SF Lux Limited	
SKECHERS			All Styles 2014 and After			
TRUE LINKSWEAR	All Styles					
UNDER ARMOUR	All Styles					
WALTER HAGEN		All Styles				

**COMPATIBILITY NOTES:** Fast Twist® 3.0 was previously branded as Tour Lock™ and they are cross-compatible. • Tri-LOK® is cross-compatible with Fast Twist®. • Slim-LOK® and Fast Twist® 3.0 are cross-compatible. Fast Twist® 3.0 cleats will fit Slim-LOK®, Fast Twist®, Tri-LOK® and Tour Lock™ receptacles.





### FLIX LITE DIVOT TOOL

- The new Flix Lite automatic opening divot repair tool is our lightest and most ergonomic tool yet, this tool is designed for the golfer that needs a light yet rugged repair tool that, when slipped in to the pocket, is hardly noticeable

CODE	COLOUR	CODE	COLOUR
CH86442	Black	CH86445	Green
CH86443	White	CH86441	Pink
CH86444	Orange		

### FLIX ACRYLIC STAND

CH7064CH60

- Perfect for any counter top display unit
- Holds 12 Flix divot tools



### PRO WRENCH 4

CH88404

- The newly designed economical yet durable wrench features an ergonomic textured handle paired to a sturdy steel stem and hardened steel extra long pins
- Inner 12



### MAXPRO WRENCH

CH88401

- Comfortable contoured soft touch dual density handle. 3 position ratchet for insertion, removal or lock in place
- Three bits allow you to change any spike
- Inner 12



### DUAL BRUSH II

CH87408

- Brass bristles clean dirt and mud from irons and shoes
- Nylon bristles remove dirt and mud from woods, leather and suede shoes
- Inner 12





## ZARMA FLYTEE

- The CHAMP Zarma FLYtee™ is a new performance tee that will increase your distance and accuracy from tee to green

CODE	DESCRIPTION	SIZE	PACK QTY	INNER
CH92521	White	2 ¾"	30	6
CH92522	Yellow	2 ¾"	30	6
CH92523	Orange	2 ¾"	30	6
CH92524	Red	2 ¾"	30	6
CH92526	Lime Green	2 ¾"	30	6
CH92563	Mixed (Blue, Lime Green, Orange, Pink, Red & Yellow)	2 ¾"	30	6
CH92565	Mixed NEON (Lime Green, Orange & Pink)	2 ¾"	30	6
CH92541	White	3 ¼"	25	6
CH92564	Mixed (Blue, Lime Green, Pink, Red & Yellow, Orange)	3 ¼"	25	6
CH92568	Mixed NEON (Lime Green, Neon Orange, Neon Pink)	3 ¼"	25	6

## FLYTEE DISPLAY

### CH7064CH59

- This small and sleek countertop display is perfect for showcasing the new CHAMP Zarma FLYtees on valuable counter space
- With the FLYtee available in a rainbow of vibrant colors and 4 different sizes this wire rack unit features 8 wire pegs each perfect to merchandise your tees in high traffic areas while minimizing space in any retail point of purchase environment



## MY HITE FLYTEE

- Constructed with the same technical aspects as our original FLYtee such as the 6 prong head and reinforcing ribs but now feature dark colored lines on the shaft of the tee to customize the height of your golf ball

CODE	DESCRIPTION	SIZE	PACK QTY	INNER
CH95505	Red Stripe	2 ¾"	40	6
CH95506	Blue Stripe	3 ¼"	30	6
CH95507	Black Stripe	4"	20	6



THE ORIGINAL

**SUPER TEE****100  
PACK**

6T020



6T021



6T022



6T023



6T024

**SUPERTEE**

BOX OF 100 PER COLOUR



6T014



6T015



6T016



6T017



6T018



6T019

**ELIM TEES**


BOX OF 72 PER COLOUR

**25  
PACK****100  
PACK****INFINITEE**

CODE	DESCRIPTION		PK QTY
6T001	2 1/8"	Orange	25
6T002	2 1/8"	White	25
6T003	2 1/8"	Yellow	25
6T010	2 3/4"	Orange	25
6T011	2 3/4"	White	25
6T012	2 3/4"	Yellow	25
6M001	Ball markers		25

**WEDGE TEES**

CODE	DESCRIPTION	PK QTY
6T050	Orange	100
6T051	White	100
6T052	Yellow	100

**100  
PACK****250  
PACK****250  
PACK****PENCILS**

CODE	DESCRIPTION	PK QTY
6ID001	Plastic divot tool	100
6IP002	Plastic pencil	15
6IP003	Wooden pencil	15





# SHIPPING

**OVERNIGHT DELIVERY TO  
MOST OF AUSTRALIA**





Phone: 03 5277 3977  
 Post: PO Box 46  
 North Geelong, VIC 3215  
 Email: sales@golfimports.com.au  
 Web: www.golfimports.com.au


**ALDILA**

**Golf Pride**

**GRAFALLOY**

*Professional*
**PROJECT X**
**TRUE TEMPER**


Callaway, Callaway Golf, Chevron device, are trademarks and/or registered trademarks of Callaway Golf Company.  
 Izzo Golf is an official licensee of Callaway Golf Company.

